

## 6 PARTIALLY REVISED FINAL PROGRAM EIR AND RECOMMENDATION OF A PREFERRED NETWORK ALTERNATIVE FOR CONNECTING THE BAY AREA TO THE CENTRAL VALLEY

This chapter summarizes the designation of the Bay Area to Central Valley HST preferred alternative in the prior 2008 Final Program EIR and 2010 Revised Final Program EIR; synthesizes the information contained in Chapters 2—5 of the Partially Revised Final Program EIR; and discusses the effect of this information on the staff recommendation of the preferred alternative. The staff recommendation of the preferred alternative in 2012 is consistent with its prior recommendations: Pacheco Pass Network Alternative Serving San Francisco via San Jose.

*This chapter replaces Chapter 8 of the 2008 Final Program EIR and Chapter 7 of the 2010 Revised Final Program EIR. This chapter builds on the prior discussions of the preferred alternative, and maintains much of the prior discussion to provide context and to reflect the extensive record of public input on the selection of a preferred alternative to connect the Bay Area and Central Valley. Cost figures presented here are expressed in 2006 dollars, consistent with how they have been presented since the 2007 Draft Program EIR. Although cost information has not been updated to reflect current year dollars, this cost information has been reviewed, and has been determined to continue to provide an appropriate order of magnitude discussion of cost relationships of certain alignments, particularly the high cost of a Transbay Tube, or the relatively higher cost of network alternatives that service three cities rather than one or two.*

Changes to text from the Partially Revised Draft Program EIR are shown with a bar in the margin; added text is noted with underlining and deleted text is noted with strikeout.

### 6.1 Recommendation of Pacheco Pass Network Alternative Serving San Francisco via San Jose as Preferred Alternative in 2008 and 2010

Chapter 8 of the 2008 Final Program EIR and Chapter 7 of the 2010 Revised Final Program EIR concluded that the Pacheco Pass Network Alternative serving San Francisco via San Jose was the preferred alternative for connecting the Bay Area with the Central Valley as part of the statewide high-speed train system. Preferred alignments and station locations included:

<u>Corridor</u>	<u>Alignment</u>	<u>Stations</u>
<b>San Francisco to San Jose Corridor:</b>	Caltrain Corridor (shared use)	San Francisco/Transbay Transit Center Millbrae Potential Palo Alto or Redwood City
<b>San Jose to Central Valley Corridor:</b>	Pacheco Pass via Henry Miller Rd	San Jose/Diridon Station Gilroy Station (Caltrain)
<b>Central Valley Corridor:</b>	UPRR N/S, but continue to study BNSF	Downtown Modesto Downtown Merced

The 2008 Final Program EIR identified a preferred location for a maintenance facility in Merced (Castle Air Force Base) and explained that the preferred alternative would involve no San Francisco Bay crossing.

The 2008 Final Program EIR described the evaluation criteria for determining a preferred network alternative; the public and agency support for the different Pacheco and Altamont network alternatives, as well as the Pacheco with Altamont (local service) network alternatives; a summary of the Pacheco, Altamont, and Pacheco with Altamont (local service) alternatives; a comparison of the network alternatives for public support, ridership and revenue, capital and operating costs, travel times and conditions, constructability and logical constraints, and environmental impacts. The reasons identified in May 2008 for selecting the Pacheco Pass alternative serving San Francisco via San Jose as preferred included the following:

- The Pacheco Pass minimizes impacts on wetlands, waterbodies, and the environment.
- The Pacheco Pass best serves the connection between Northern and Southern California.
- The Pacheco Pass best utilizes the Caltrain Corridor.
- The Pacheco Pass is strongly supported by the Bay Area region, cities, agencies, and organizations.

The 2010 Revised Final Program EIR (Chapter 7) provided additional information to be considered in selecting the preferred alternative including a clarification of the location of the HST alignment alternative between San Jose and Gilroy, effect of UPRR denying use of its right-of-way, and effect of avoiding impacts to UPRR freight operations. Although the additional information resulted in some changes to the rationale for selecting the Pacheco Pass Network Alternative serving San Francisco via San Jose, it remained the recommended preferred alternative.

The analysis in this Partially Revised ~~Draft-Final~~ Program EIR provides additional information applicable to all network alternatives, and provides additional information about environmental impacts associated with the Pacheco Pass network alternative. As described below, however, the rationale for recommending the Pacheco Pass Network Alternative serving San Francisco via San Jose as the preferred alternative remains largely the same, although some revisions to the rationale have been made as a result of comments on the Partially Revised Draft Program EIR.

## **6.2 New and Clarified Information in the Partially Revised Final Program EIR Does Not Alter the Recommendation of the Pacheco Pass Network Alternative Serving San Francisco via San Jose as the Preferred Alternative**

### **6.2.1 Revised Impacts Analysis: Noise & Vibration, Traffic, and Construction**

The new information in Chapters 2 -4 results in clarification and revision of noise and vibration, traffic, and construction impacts, as follows:

- The shift of Monterey Highway to the east with implementation of the high-speed train project creates noise and vibration impacts by moving the highway closer to sensitive receptors. The noise and vibration impact from the project overall has been previously described as significant under CEQA for the alignment that includes Monterey Highway. The conclusion remains the same. For clarity, the shift of Monterey Highway has been identified as a separate significant noise impact and mitigation strategies specific to the highway noise impact described.
- The four-track, shared use alignment on the San Francisco Peninsula creates noise and vibration impacts from both operation of the high-speed train and also from the potential movement of UPRR freight trains to the outside tracks of the expanded right of way, closer to adjacent land uses. The potential movement of freight also affects an area South of San Jose between Tamien and Lick. The noise and vibration impact from the project overall has been previously described as significant under CEQA for the alignment between San Francisco and San Jose, and between San Jose and the Central Valley. The conclusions remain the same.

- The narrowing of lanes on Monterey Highway from six lanes to four lanes for approximately 3.3 miles with implementation of the high-speed train project results in significant traffic impacts on Monterey Highway itself, as well as on surrounding roadways.
- The loss of traffic lanes parallel to the Caltrain right-of-way in certain areas along the San Francisco Peninsula results in significant traffic impacts on affected roadway segments and nearby intersections. Loss of traffic lanes parallel to the UPRR right-of-way in the City of Hayward would result in a significant traffic impact for the Oakland to San Jose Corridor.
- The adjustments to Monterey Highway as part of the high-speed train project will result in noise and vibration impacts and other construction-period impacts that are considered significant under CEQA, consistent with the prior discussion of construction-period impacts as significant in the 2008 Final Program EIR.
- Construction impacts associated with constructing the high-speed train project within an active passenger and freight rail corridor are clarified and identified as part of the significant construction impacts.

These clarified and additional impacts along the Monterey Highway and in certain portions of the San Francisco Peninsula are important considerations in the recommendation of the preferred alternative and have been carefully considered in reevaluating the preferred alternative recommendation. The Monterey Highway impacts would occur only for the Pacheco Pass network alternatives. The San Francisco to San Jose impacts would occur most prominently for the Pacheco Pass network alternatives that utilize the full length of the Caltrain corridor to reach San Francisco from San Jose and for the one Altamont Pass network alternative that would also utilize the full length of the Caltrain corridor to reach San Francisco from San Jose. These impacts would occur in a more limited way for the Altamont Pass network alternatives that would utilize the Caltrain corridor north of Dumbarton. Traffic impacts in Hayward occur only for the Altamont Pass network alternatives. In the judgment of staff, however, the clarified and new impacts discussed in this document do not detract from the recommendation of the Pacheco Pass Network Alternative serving San Francisco via San Jose as preferred.

The potential for noise and vibration, traffic, and construction impacts associated with Monterey Highway movement are unique to the Pacheco Pass network alternatives. The Monterey Highway impacts result from the opportunity in this area to not just follow an existing transportation corridor, but to actually utilize existing transportation right of way to implement the high-speed train project. As the former US 101, Monterey Highway has been designed to carry more traffic than it currently supports. In areas closer to the City of San Jose, Monterey Highway has large shoulders and medians that provide physical space for redesigning the highway to reduce it from six lanes to four lanes within the existing transportation right of way and to use that remaining transportation right of way for the high-speed train alignment. For areas to the south where the highway would shift up to 60 feet, the new right of way would result in the displacement of adjacent land uses, however, to a lesser degree than if an entirely new transportation right of way had to be established. This plan is consistent with the City of San Jose's plans for the Monterey Highway, and it provides an opportunity to upgrade the condition of the roadway corridor throughout.

The potential for noise and vibration and traffic impacts on the Caltrain Corridor between San Francisco and San Jose associated with expanding the existing rail right of way in certain areas, as well as the construction impacts associated with building the high-speed train within an active passenger and freight rail corridor, are not unique to the Pacheco Pass network alternatives, but are most prominent for the Pacheco Pass network alternative that would utilize the entirety of the Caltrain Corridor to reach San Francisco and the one Altamont Pass Alternative that would utilize the entire Caltrain Corridor. The Altamont Pass network alternatives that utilize the Caltrain Corridor north of Dumbarton would have these impacts, but to a lesser degree. The Caltrain Corridor provides an opportunity to implement the high-speed train project with relatively less displacement of private homes and businesses. While the

existing rail right of way would need to be expanded in some areas, the expansion could be accomplished in part by utilizing parallel streets to reduce residential and business displacement.

A multitude of factors influenced the prior designation of the Pacheco Pass Network Alternative serving San Francisco via San Jose as preferred alternative in the 2008 Final Program EIR and the 2010 Revised Final Program EIR. From an environmental perspective, a critical issue was that the Pacheco Pass Network Alternative serving San Francisco via San Jose minimized impacts on wetlands, waterbodies, and the environment. This conclusion has not changed based on the new information in this document. The environmental trade-off for reducing the relative amount of residential and business displacement to implement the high-speed train by using existing transportation corridors (Monterey Highway and Caltrain Corridor) results in noise and vibration, traffic and construction effects. On balance, these environmental impacts, while carefully considered and important, do not change the prior conclusion that the Pacheco Pass Network Alternative Serving San Francisco via San Jose results in the fewest environmental impacts overall of the network alternatives while providing direct HST service to downtown San Francisco, San Francisco Airport (SFO), and San Jose.

### 6.2.2 New Information and Changed Conditions

The information in Chapter 5, particularly regarding the Draft 2012 Business Plan and Final 2012 Business Plan, identifies changes in the environmental analysis from the 2008 Final Program and 2010 Revised Final Program EIR based on the recognition that the high-speed train project will be implemented in phases, and that this phasing will result in the project taking longer to complete than previously understood. This information identifies that the benefits from an operational, fully constructed statewide high-speed train system will accrue more slowly. Phasing also means that impacts from constructing the end-point sections will not occur for a longer period of time. In addition, unique impacts would occur at interim northern terminus stations with a phased approach. These impacts, including the potential for higher traffic congestion and impacts on connecting commuter rail systems, are newly identified significant impacts. These differences, however, do not distinguish between the Altamont and Pacheco network alternatives. Phasing can be accomplished for both network alternatives.

The blended system concept in the Draft 2012 Business Plan and Revised 2012 Business Plan is an approach to implementing of a second-tier project for the San Francisco to San Jose Corridor that is highly conceptual at this time. Based on the conceptual level of definition, the blended system approach ~~concept~~ does not appear to distinguish among network alternatives. A blended concept could be accomplished for both Pacheco and Altamont network alternatives that utilize some or all of the San Francisco to San Jose Corridor.

## 6.3 Rationale for the Recommendation of the Preferred Alternative

### 6.3.1 Introduction

This section describes the basis for the Pacheco Pass Network Alternative Serving San Francisco via San Jose being identified as the preferred alternative.

HST Network Alternatives represent different ways to combine HST Alignment Alternatives and station location options to implement the HST system in the study region. The 2008 Final Program EIR/EIS, 2010 Revised Program EIR, and current 2012 Partially Revised ~~Draft-Final~~ Program EIR focused on analysis of HST Alignment Alternatives, which are track alignment alternatives between particular points. Because there are many possible combinations of alignments and stations, 21 representative HST network alternatives were considered and described to better understand the implications of selection of certain alignment alternatives and station location options. The network alternatives were developed to enable an evaluation and comparison of how various combinations of alignment alternatives would meet the project's purpose and need, how each would perform as a HST network (e.g., travel times between

various station locations, anticipated ridership, operating and maintenance costs, energy consumption, and auto trip diversions), and how each would impact the environment.

Chapter 7 of the 2008 Final Program EIR and Chapter 6 of the 2010 Revised Final Program EIR summarize and compare the relative differences among physical and operational characteristics and potential environmental consequences associated with the HST alignment alternatives and station location options, including:

- Physical/operational characteristics
  - Alignment
  - Length
  - Capital Cost
  - Travel Time
  - Ridership
  - Constructability
  - Operational Issues
- Potential environmental impacts
  - Transportation related topics (air quality, noise and vibration, and energy)
  - Human environment (land use and community impacts, farmlands and agriculture, aesthetics and visual resources, socioeconomics, utilities and public services, hazardous materials and wastes)
  - Cultural resources (archaeological resources, historical properties) and paleontological resources
  - Natural environment (geology and seismic hazards, hydrology and water resources, and biological resources and wetlands).
  - Section 4(f) and 6(f) resources (certain types of publicly owned parklands, recreation areas, wildlife/waterfowl refuges, and historical sites).

In identifying preferred alignment alternatives and the overall preferred network alternative, the Authority is guided by adopted objectives and criteria for selecting preferred alignment alternatives and station location options that were also applied in the alignment screening evaluation (Table 6-1 below).

**Table 6-1  
High-Speed Rail Alignment and Station Evaluation Objectives and Criteria**

Objective	Criteria
Maximize ridership/revenue potential	Travel time Length Population/employment catchment area Ridership and revenue forecasts
Maximize connectivity and accessibility	Intermodal connections
Minimize operating and capital costs	Length Operational issues Construction issues Capital cost Right-of-way issues/cost

Objective	Criteria
Maximize compatibility with existing and planned development	Land use compatibility and conflicts Visual quality impacts
Minimize impacts on natural resources	Water resources impacts Floodplain impacts Wetland impacts Threatened and endangered species impacts
Minimize impacts on social and economic resources	Environmental justice impacts (demographics) Farmland impacts
Minimize impacts on cultural and parks/wildlife refuge resources	Cultural resources impacts Parks and recreation impacts Wildlife refuge impacts
Maximize avoidance of areas with geologic and soils constraints	Soils/slope constraints Seismic constraints
Maximize avoidance of areas with potential hazardous materials	Hazardous materials/waste constraints

In the 2008 Final Program EIR, the Federal Railroad Administration (FRA) concurred with the Authority's identification of the Pacheco Pass Network Alternative serving San Francisco via San Jose as the preferred alternative. The FRA identified the Pacheco Pass Network Alternative serving San Francisco via San Jose as environmentally preferable under NEPA, and the Authority identified it as environmentally superior under CEQA. The FRA has consulted with USEPA and USACE regarding their concurrence for compliance with the requirements of Section 404 of the Clean Water Act (Federal Railroad Administration 2008a). Although no permit is being requested at this time under the Clean Water Act, the U.S. Environmental Protection Agency (USEPA) and U.S. Army Corps of Engineers (USACE) have concurred that the identified preferred network alternative is most likely to yield the "least environmentally damaging practicable alternative" (LEDPA) consistent with the USACE's permit program (33 CFR Part 320–331) and USEPA's Section 404(b)(1) Guidelines (40 CFR 230–233) (U.S. Environmental Protection Agency 2008; U.S. Army Corps of Engineers 2008). In addition, the FRA issued a record of decision in December 2008 selecting the Pacheco Pass Network Alternative serving San Francisco via San Jose for further study (Federal Railroad Administration 2008b).

After the conclusion of this revised program EIR process, the Authority and FRA will focus future project-level EIR and EIS analysis in the study region on alignment alternatives and station location options selected through this program environmental process. Site-specific location and design alternatives for the preferred alternative and station location options, including avoidance and minimization alternatives, will be fully investigated and considered during next tier project-level environmental review.

### 6.3.2 Summary of Comments on the Identification of the Preferred Alternative

Public input on the selection of a preferred alternative to connect the San Francisco Bay Area to the Central Valley has now occurred in ~~three~~ two distinct stages to date. The initial public comment period on the Draft Program EIR/EIS took place in 2007, and the Authority's prior decision based on that document occurred in 2008. Public comment on the original Program EIR/EIS thus preceded the passage of Proposition 1A in November 2008. The Authority circulated its 2010 Revised Draft Program EIR between March and April 2010, providing a new opportunity for public comment on the new document. The Authority made a prior decision based on the Revised Final Program EIR in September 2010. The Authority circulated the 2012 Partially Revised Draft Program EIR in January and February 2010. The following summarizes these three ~~both~~ sets of public input.

***Comments on the Preferred Alternative in the 2007/2008 Program EIR Process and Following Passage of Proposition 1A***

The identification of a preferred HST alignment between the Bay Area and Central Valley has been and continues to be controversial. The 2008 Program EIR/EIS process received a considerable amount of comment from agencies (federal, state, regional, and local), organizations, and the general public. In 2008, there was a wide divergence of opinion with many favoring the Pacheco Pass, many favoring the Altamont Pass, and many favoring a combination of both passes (with the Pacheco serving as the north/south HST connection and Altamont primarily serving interregional commuter service between Sacramento/Northern San Joaquin Valley and the Bay Area).

**A. PACHECO**

In 2008, the Pacheco Pass supporters included the Metropolitan Transportation Commission (MTC), the cities of San Francisco, San Jose, Redwood City, Fremont, Morgan Hill, Cupertino, Sunnyvale, Gilroy, and Salinas; the counties of San Francisco, Santa Clara, San Mateo, and Monterey; Congress members Lofgren, Honda, Eshoo, and Lantos; Assembly member Beale; State Senators Alquist and Maldonado; the San Francisco County Transportation Agency; the Santa Clara Valley Transportation Authority (VTA); Peninsula Corridor (Caltrain) Joint Powers Board (JPB); San Mateo County Transit District (SamTrans); San Mateo County Transportation Authority (TA); Monterey County Transportation Agency; Alameda County Congestion Management Agency; Alameda County Supervisor Scott Haggerty; the San Jose, the San Francisco, Redwood City, and the San Mateo County Chamber of Commerce; the Silicon Valley Leadership Group; and a number of members of the public representing themselves.

There are a number of reasons supporters gave in 2008 for preferring the Pacheco Pass, including: 1) quicker travel times between San Jose/Silicon Valley and Southern California; 2) more frequent/better service between Bay Area and southern California; 3) higher ridership potential; 4) less potential environmental impacts; 5) avoiding impacts on wildlife and sensitive habitat through Don Edwards San Francisco Bay National Wildlife Refuge; 6) best serves the Caltrain Corridor (San Francisco to Gilroy); 7) provides good HST access for the three county Monterey Bay area with a south Santa Clara HST station; 8) can serve San Francisco, Oakland, and San Jose without a new crossing of the Bay; 9) all service through San Jose/best serves south Bay; and 10) less cost for first phase of system between the Bay Area and Anaheim.

There are a considerable number of organizations, agencies, and individuals who, in 2008, expressed concern regarding potential impacts on the GEA and/or the uninhabited portions of the Pacheco Pass by HST alternatives via the Pacheco Pass. These include the USFWS, CDFG, California Department of Parks and Recreation, Grassland Water District, Grassland Resources Conservation District, Grassland Conservation, Education & Legal Defense Fund, Ducks Unlimited, California Outdoor Heritage Alliance, California Waterfowl Association, Sacramento Area Council of Governments, Citizens' Committee to Complete the Refuge, Bay Rail Alliance, California Rail Foundation (CRF), California State Parks Foundation (CSPF), Defenders of Wildlife, Planning and Conservation League (PCL), Regional Alliance for Transit (RAFT), Sierra Club, Train Riders Association of California (TRAC), and Transportation Solutions Defense and Education Fund (TRANSDEF). California Department of Parks and Recreation raised concerns regarding potential impacts on State Parks and reserve resources through the Pacheco Pass. Between 2008 and March 2010, a considerable number of organizations, agencies, and individuals have expressed concern regarding potential impacts on the Caltrain Corridor. The town of Atherton opposes use of the Caltrain Corridor between San Jose and San Francisco and the Cities of Menlo Park and Millbrae has have raised concerns regarding potential impacts through their cities. The "Peninsula Cities Consortium" (which includes Palo Alto, Menlo Park, Atherton, Belmont, and Burlingame) was created after the November 2008 election as a result of concerns regarding potential impacts along the Caltrain Corridor including: alignment, environmental

consequences, local growth, station planning and land use as well as noise and vibration, biological and cultural resources.

## B. ALTAMONT

In 2008, the Altamont Pass supporters included the cities of Oakland, Union City, and Atwater; the town of Atherton; the counties of San Joaquin, Stanislaus, Mariposa, and Kern; the California Partnership for the San Joaquin Valley; the San Joaquin Regional Policy Council; Sacramento Area Council of Governments; San Joaquin County Council of Governments; Tulare County Association of Governments; Altamont Commuter Express (ACE); California Department of Parks and Recreation; California Environmental Coalition; California State Parks Foundation (CSPF); Planning and Conservation League (PCL); Sierra Club; Grassland Water District; Grassland Resources Conservation District; Grassland Conservation, Education & Legal Defense Fund; California Outdoor Heritage Alliance; Bay Rail Alliance; Transportation Involves Everyone (TIE); San Joaquin COG Citizens Advisory Committee; Tracy Region Alliance for a Quality Community; Ducks Unlimited; Transportation Solutions Defense and Education Fund (TRANSDEF); California Rail Foundation (CRF); Defenders of Wildlife; Regional Alliance for Transit (RAFT); Citizens' Committee to Complete the Refuge; Train Riders Association of California (TRAC); and a number of members of the public representing themselves.

There are a number of reasons supporters gave in 2008 for preferring the Altamont Pass including: 1) quicker travel times between Sacramento/Northern San Joaquin Valley and the Bay Area; 2) best serves the Central Valley; 3) more Northern San Joaquin markets served on the Authority's adopted first phase of construction between the Bay Area and Anaheim; 4) higher ridership potential; 5) less potential for environmental impacts; 6) avoids impacts on wildlife and sensitive habitat through Pacheco Pass and the GEA; 7) serves a greater population/more population along the alignment; 8) best serves ACE corridor and reduces traffic along I-580; 9) better service between Bay Area and Southern California (either reduced frequency is needed on shared Caltrain alignment or HST trains can be split); 10) best serves San Jose since it would be a terminus station and with much faster travel times to commuter markets in the Northern San Joaquin Valley; and 11) is less sprawl inducing.

There are a considerable number of organizations, agencies, and individuals who, in 2008, expressed concern regarding potential impacts on the San Francisco Bay and Don Edwards San Francisco Bay National Wildlife Refuge by HST alternatives via the Altamont Pass using a Dumbarton Crossing. These include the MTC; BCDC; USEPA; USFWS; Don Edwards San Francisco Bay National Wildlife Refuge; Congress members Zoe Lofgren, Michael Honda, Anna Eshoo, and Tom Lantos; State Senators Elaine Alquist and Abel Maldonado; Assembly member Jim Beale; Santa Clara County; San Mateo County Transit District (SamTrans); San Mateo County Transportation Authority (TA); Peninsula Corridor (Caltrain) Joint Powers Board (JPB); San Francisco Bay Trail Project; San Jose Chamber of Commerce; San Francisco Bay Trail Project; the City of San Jose; the City of Oakland; and Don Edwards (Member of Congress, 1963-1995). The East Bay Regional Park District has raised concerns in regards to potential impacts on nine regional parks, in particular the Pleasanton Ridge and Vargas Plateau regional parks, and the Alameda Creek Regional Train between Pleasanton and Niles Junction for Altamont Pass alternatives. In addition, the City of Fremont opposes the Altamont Pass, and the City of Pleasanton does not support the Altamont Pass but remains "open" to terminating Altamont alternatives in Livermore. The MTC and Alameda County Supervisor Scott Haggerty also support the investigation of Altamont Pass alternatives terminating in Livermore.

## C. COMBINED PACHECO AND ALTAMONT

After completing a two-year "Regional Rail" planning process, the MTC has re-confirmed support for the Pacheco alignment via the San Francisco Peninsula as "the main HSR express line between Northern and Southern California due to several of the reasons stated in Resolution N. 3198:

- has the highest statewide ridership demand, and best serves HSR's key market—Northern California to Southern California, connecting the two most congested regions in the state
- provides direct service to all three major cities—San Francisco, San Jose and Oakland
- avoids construction of a new bay crossing or tube required by the Altamont Pass entry for San Francisco service."

MTC's resolution also "endorse(s) the Altamont route as better suited to serve interregional and local travel between the Bay Area and the Northern San Joaquin Valley." It states:

At the same time the Pacheco pass alignment is being built, the CHSRA should upgrade interregional services between Peninsula—Tri Valley—Sacramento & San Joaquin Valley. As a first step, ACE service can be improved by adding tracks and improving signaling to provide higher speed and more reliable service that would connect with a future BART station in Livermore (Greenville Road or Isabel/Stanley based on further BART analyses); these improvements would need to be compatible with future HSR. An electrified regional train capable of higher speeds, with additional grade separations that would improve road circulation, would replace longer-term, ACE service; the trains would also be compatible with lightweight equipment operating in the Dumbarton Corridor.... [MTC] request[s] that the CHSRA also evaluate an alternative in the Altamont Corridor that terminates HSR at a proposed BART Livermore station where HSR passengers could be dispersed to Bay Area locations throughout the BART system, together with improved ACE service to Santa Clara County... [and] ... request[s] that CHSRA consider seeking additional HSR bond funds dedicated to upgrading the Altamont corridor for regional service.

The Tri-Valley Policy Working Group and Technical Advisory Committee (Tri-Valley PAC) took a similar position. Tri-Valley PAC is a partnership that includes the cities of Dublin, Livermore, Pleasanton, Danville, San Ramon, and Tracy along with transportation providers LAVTA, ACE, and BART. The Tri-Valley supports "continued study of high speed rail through the Altamont Corridor on the Union Pacific corridor **PROVIDED**:

- There are no significant Right-of-Way takes.
- There is no major aerial structure through Pleasanton."

In addition, the Tri-Valley PAC provided the following comments for consideration by the Authority:

The Draft Bay Area EIR/EIS includes a Bay Area HSR alignment that would include High Speed Train service through the Pacheco Pass and regional overlay service provided through the Altamont pass. The Policy Advisory Committee believes that this option may present the best way of addressing our concerns and delivering optimal HST service to the region as a whole.

The combined Altamont/Pacheco(Hybrid) alignment option allows HSR to provide frequent service along the most direct route between northern and southern California, while still serving the important regional transportation corridors in Northern California, including those in the Central Valley, the Tri-Valley, and between Sacramento and the Bay Area. The Draft EIR/EIS demonstrates that the corridors served by the Altamont alignment include some of the greatest travel demand in the entire system.

While providing these important transportation advantages, a system that provides service in both major corridors also mitigates some of the possible negative impacts identified in the Draft EIR/EIS. Specifically related to the Tri-Valley's key concerns, it would improve the likelihood that HST service could be delivered within the existing Union Pacific Right-of-Way without the need for major aerial infrastructure, or significant right-of-way acquisition through the developed portions of the Tri-Valley.

U.S. Congressman Jim Costa stated that he'd rather not view this as one route over another. He would rather the Valley see a vision for both, and the Capitol Corridor JPB supports "in principle the

concept of the two high-speed alignments into and out of the Bay Area. Each alignment would provide a means to meet the high-speed travel markets for (1) long distance travelers from Los Angeles/Southern California using the Pacheco Pass route and (2) the interregional travelers from the Central Valley using the Altamont Pass route." The MTC recommendations were also supported by the Alameda County Congestion Management Agency and Alameda County Supervisor Scott Haggerty.

While the Silicon Valley Leadership Group and the City of San Jose strongly support the Pacheco Pass and the HST link between northern and southern California, they also support high-speed commuter service/improvements to ACE service via the Altamont Pass, and while the California Partnership for the San Joaquin Valley strongly prefers the Altamont Pass, they also commented that the Authority "evaluate the economic feasibility of developing both the Altamont and Pacheco Pass routes to see if each one of those routes, on its own merits, will generate an economic surplus. If it does, then we would like to see both routes implemented." They also stated, "if it turns out that one of the two routes must be implemented first, they cannot be implemented concurrently, then our strong preference is for the Altamont route." However, some members of the public have expressed opposition to the "hybrid" idea (Pacheco and Altamont) raising issue with the additional costs and concern that only one pass would be implemented.

The USEPA recommended "eliminating from further consideration a high speed rail alternative connecting Bay Area to Central Valley that includes both an Altamont and a Pacheco Pass alignment, termed, "*Pacheco Pass with Local Service*" in the Draft PEIS. This scenario would effectively result in twice the habitat fragmentation, noise, and indirect impacts to aquatic resources. This alternative would likely result in CWA Section 404 permitting challenges because it is difficult to demonstrate that mountain crossings at both Pacheco and Altamont Passes represent the LEDPA given the increased indirect impacts to aquatic resources and habitat fragmentation associated with this alternative."

### ***Comments on the Preferred Alternative in the 2010 Revised Program EIR Process***

The Authority received extensive comments on the 2010 Revised Draft Program EIR from agencies (state, regional, and local), organizations, and the general public during the public comment period. The comments were contained in more than 540 comment letters containing more than 3750 individual comments. In contrast to 2008, when the comments received showed a clear preference for the Pacheco Pass, the Altamont Pass, or both passes, the public comments in 2010 were substantially more complex. Support remained for the Pacheco Pass Network Alternative serving San Francisco via San Jose, however, the Authority received many comments expressing great concern about this network alternative. The expressions of concern were most often accompanied by the commenter advocating for any option other than the Pacheco Pass Network Alternative serving San Francisco via San Jose. Support also remains for Altamont Pass network alternatives. The following provides a general summary of the comments that can be reviewed in full in Volume 2 of the Revised Final Program EIR:

- A. Pacheco:** In 2010, the following entities identified in writing their support for the Pacheco Pass Network Alternative serving San Francisco via San Jose: Santa Clara Valley Transportation Authority; City of San Jose; Transportation Agency for Monterey County; City of Gilroy; Santa Cruz County Regional Transportation Commission; Metropolitan Transportation Commission; San Francisco Chamber of Commerce; and San Mateo County Economic Development Assn. Many individuals expressed support for the Pacheco Pass Network Alternative serving San Francisco via San Jose either in writing or at the public comment meeting in April in San Jose.
- B. Altamont:** In 2010, the following entities identified in writing their support for one of the Altamont Pass network alternatives: Town of Atherton; Palo Alto Central East Residential

Association; Transportation Solutions Defense and Education Fund (TRANSDEF); California Rail Foundation; Planning and Conservation League; and Natural Resources Defense Council. Many individuals expressed support for Altamont Pass alternatives either in writing or at the public comment meeting in April in San Jose.

- C. **No Project Alternative, No Caltrain Corridor Alternatives, Caltrain Below Grade Alternatives:** In 2010, the following entities advocated for other options, such as stopping either a Pacheco or Altamont alternative in San Jose or Union City, utilizing a non-Caltrain alignment such as 101 or 280 to reach San Francisco, or placing a Caltrain alignment below grade in a tunnel or covered trench: City of Burlingame; City of Menlo Park; Planning and Conservation League. Many comments from individuals who identified themselves as residents along or near the Caltrain Corridor between San Francisco and San Jose advocated for all three options.

**Comments on the Preferred Alternative in the 2012 Partially Revised Program EIR Process**

The Authority received a number of comments on the 2012 Partially Revised Draft Program EIR from agencies (state, regional, and local), tribes, businesses/organizations, and the general public during the public comment period. The comments were contained in more than 50 comment letters containing more than 400 individual comments. Since 2010, the Draft 2012 Business Plan was released and many comments received related to the blended system concept (see below) and phased implementation rather than specific network alternatives. The comments as a whole included far fewer preferences for a particular alternative than in the past. A number of comments strongly expressed preference for no HST project rather than for a specific network alternative.

The following provides a general summary of the comments that can be reviewed in full as part of this Partially Revised Final Program EIR:

- A. Pacheco:** In 2012, the following entities identified in writing their support for the Pacheco Pass Network Alternative serving San Francisco via San Jose: Santa Clara Valley Transportation Authority; City of San Jose; and City of Morgan Hill. A few individuals expressed support for the Pacheco Pass Network Alternative serving San Francisco via San Jose either in writing or at the public comment meeting in February in San Jose.
- B. Altamont:** In 2012, the following entities identified in writing their support for one of the Altamont Pass network alternatives: Town of Atherton; Transportation Solutions Defense and Education Fund (TRANSDEF); California Rail Foundation; and Planning and Conservation League.
- C. Blended System:** Prior to the circulation of the Partially Revised Draft Program EIR, in April of 2011, a proposal for implementing the HST on the Caltrain corridor was circulated by Senator Simitian, Congresswoman Eshoo, and Assemblyman Gordon, calling for a blended system on the Peninsula that integrates HST with an improved Caltrain system. The blended system proposal identified the following points:
- "We explicitly reject the notion of high-speed rail running from San Jose to San Francisco on an elevated structure or "viaduct"; and we call on the High-Speed Rail Authority to eliminate further consideration of an aerial option;
  - We fully expect that high-speed rail running from San Jose to San Francisco can and should remain within the existing Caltrain right of way; and,

- Third and finally, consistent with a project of this more limited scope, the Authority should abandon its preparation of an EIR (Environmental Impact Report) for a phased project of larger dimensions over a 25 year timeframe. Continuing to plan for a project of this scope in the face of limited funding and growing community resistance is a fool's errand; and is particularly ill-advised when predicated on ridership projections that are less than credible." (Eshoo, Simitian, and Gordon Joint Statement on High-Speed Rail (April 2011).)

The following entities expressed a preference for a blended system approach on the Peninsula, or discussed the blended system without a preference: City of Palo Alto; Peninsula Corridor Joint Powers Board; City of San Mateo; City of Menlo Park; Town of Atherton; Transportation Solutions Defense and Education Fund. In addition, a number of individuals expressed support for a blended system approach. Many of these submissions also indicated a specific opposition to a four-track alignment on the Peninsula.

### **6.3.3 Network Alternatives Evaluation**

The purpose of the HST system is defined in Chapter 1 of the 2008 Final Program EIR/EIS as follows: The purpose of the Bay Area HST is to provide a reliable high-speed electrified train system that links the major Bay Area cities to the Central Valley, Sacramento, and Southern California, and that delivers predictable and consistent travel times. Further objectives are to provide interfaces between the HST system and major commercial airports, mass transit, and the highway network and to relieve capacity constraints of the existing transportation system in a manner sensitive to and protective of the Bay Area to Central Valley region's and California's unique natural resources.

Chapter 1 of the 2008 Final Program EIR/EIS also outlines the objectives that the Authority has adopted, including, "maximize intermodal transportation opportunities by locating stations to connect with local transit, airports, and highways" and states that the Authority's statutory mandate is to plan, build, and operate a HST system that is "coordinated with the state's existing transportation network, particularly intercity rail and bus lines, commuter rail lines, urban rail transit lines, highways, and airports."

The 21 network alternatives described and illustrated in Chapter 7 of the 2008 Final Program EIR/EIS present information about overall effects of combinations of HST Alignment Alternatives and station location options to implement the HST system in the study region. The 21 network alternatives fall among the three basic approaches for linking the Bay Area and Central Valley: Altamont Pass (11 network alternatives); Pacheco Pass (six network alternatives); and Pacheco Pass with Altamont Pass (local service) (four network alternatives). The network alternatives vary in the degree they serve urban areas/centers and international airports. All but one would provide direct HST services to (i.e., include a HST station within) one and up to three of the major urban centers in the Bay Area—San Francisco, San Jose, and Oakland. Some of the network alternatives would provide service to one or more of the three Bay Area international airports at San Francisco, Oakland, and San Jose. Connectivity and enhancement of other transit systems (e.g. ACE, Caltrain, Capitol Corridor, BART, and Valley Transportation Authority) also vary greatly among the network alternatives.

Overall, implementing the HST system would greatly increase the capacity for intercity and commuter travel and reduce existing automobile traffic in specific travel corridors. Full grade-separation along Bay Area rail corridors used by the HST would improve local traffic flow and reduce air pollution at existing rail crossings. The more extensive the HST system implemented in the Bay Area, the greater the travel condition benefits, including increased connectivity to other transit systems, increased convenience, increased reliability, and improved travel times. In particular, more direct connections to the region's airports provide increased connectivity for air transportation system riders.

Recognizing the benefits described above, as well as other attributes, the cities of San Francisco, Oakland, and San Jose all strongly support direct HST service to their respective downtowns. This

support was expressed as comments on the 2008 Final Program EIR/EIS, and is consistent with comments/input provided by these cities over the ten years since the Authority was created. MTC, the regional transportation planning and programming agency for the Bay Area, supports direct HST service to the downtowns of each of these three major Bay Area urban centers.

A number of network alternatives clearly do not meet the purpose and need for the HST system as fully as others. The Altamont Pass network alternative that terminates in Union City does not fully meet the purpose and need since it does not provide direct HST service to San Francisco, Oakland, or San Jose (the major Bay Area cities) nor does it provide interface with the major commercial airports. Also less able to meet the purpose and need are a Pacheco Pass network alternative that terminates in San Jose and three Altamont Pass network alternatives that only serve one of the three major urban areas/centers. These four alternatives directly provide HST service to at most only one major Bay Area city and one of the region's major commercial airports.

#### A. PACHECO PASS NETWORK ALTERNATIVES EVALUATION

Six representative Pacheco Pass network alternatives were investigated. These six alternatives encompass the range of different ways to combine HST Alignment Alternatives and station location options to implement the HST system via the Pacheco Pass. All six Pacheco Pass network alternatives provide direct service to downtown San Jose. The Pacheco Pass network alternatives consist of: 1) HST to San Francisco via the San Francisco Peninsula; 2) HST to Oakland via the East Bay; 3) HST to San Francisco via the San Francisco Peninsula and to Oakland via the East Bay (no bay crossing); 4) HST terminating in San Jose; 5) HST to San Francisco via the peninsula and then to Oakland via a new transbay tube; and 6) HST to Oakland via the East Bay and then to San Francisco via a new transbay tube. As previously explained, the alternative that would terminate in San Jose and not serve either San Francisco or Oakland directly does not fully meet the purpose and need for the proposed HST system.

The Pacheco Pass alternatives with the greatest environmental impacts and greatest construction issues are the two alternatives that include a new transbay tube. These alternatives would have over 36 acres of potential direct impacts on the San Francisco Bay. To put this into perspective, these alternatives would have 40.3–41 ac of potential impacts on waterbodies (lakes + San Francisco Bay), whereas the preferred Pacheco Pass alternative (HST to San Francisco via the San Francisco Peninsula) would have only 3.8 ac of potential direct impacts. The cost of the additional 8.8-mile HST segment needed to implement a new transbay tube is estimated at about \$4.6 billion (2006 dollars)—over \$500 million per mile. Moreover, there is only slightly higher ridership and revenue potential (about 2% higher ridership or 1.9 million passengers per year by 2030) when comparing the transbay tube alternative via the San Francisco Peninsula versus the preferred alternative. To implement alternatives that included a new transbay tube, extensive coordination would be required with the USACE under Section 10 of the Rivers and Harbors Act, USFWS, and the California Coastal Commission. Crossing the Bay would also be subject to the USACE, CDFG, and BCDC permit process.

The preferred Pacheco Pass alternative (serving San Francisco via the San Francisco Peninsula) has similar potential environmental impacts as the Oakland to San Jose via the East Bay alternative. Both alternatives maximize the use of existing transportation corridors and avoid impacts on the San Francisco Bay. The preferred alternative to San Francisco would have slightly less potential impacts on wetlands (15.6 ac vs. 17.4 ac), waterbodies (3.8 ac vs. 4.5 ac), and streams (20,276 linear ft. vs. 21,788 linear ft.) but would have slightly more potential impacts on floodplains (520.8 ac vs. 477.5 ac) and species (plant and wildlife), and would potentially impact a greater number of cultural resources (168 vs. 106) than the Pacheco Pass alternative to Oakland via the East Bay. Both alternatives would have high ridership potential and similar costs. The alternative to downtown San Francisco (Transbay Transit Center) is forecast to have about 2.3% (2.17 million riders per year by 2030) higher ridership potential than the alternative to Oakland (West Oakland), but is estimated to cost about 7.1% more (\$840 million in 2006 dollars).

The Oakland and San Jose via the East Bay alternative has considerable logistical constraints. In its adopted Regional Rail Plan for the San Francisco Bay Area, the MTC raised certain issues associated with an East Bay HST alignment to Oakland and San Jose and are not recommending an East Bay alignment. The Authority and FRA examined these and other issues as discussed below and concurred with MTC's evaluation of not recommending an East Bay alignment:

- Right-of-Way Constraints and Duplicate Investment – Commitments have already been made to improve Capitol Corridor service and to extend BART to San Jose but these improvements would not be compatible with HST service, which would need to use separate tracks. Non-electric, conventional Capitol Corridor trains will continue to share track with standard freight services in the constrained UPRR owned right-of-way. When fully developed, BART and Capitol Corridor will provide complementary rail options with BART serving more local stops and Capitol Corridor primarily serving regional stops. The capital cost of the East Bay line segment is approximately \$4.9 billion (2006 dollars).
- Risk of UPRR Right-of-Way Agreement – The risk of reaching an agreement from UPRR to obtain the right to construct additional tracks for the HST along the Niles Subdivision where the high-speed alignment is proposed between Mission Boulevard and Oakland is high.
- Potential Environmental Justice Concerns – The environmental screening in the MTC Regional Rail Plan indicated potential concerns with construction of a new elevated alignment through existing urbanized areas especially in the East Bay between Fremont and Oakland.
- Right-of-Way Constraints within I-880 – The East Bay alignment segment south of Fremont would need to be constructed along I-880 freeway south of Mission Boulevard towards San Jose with the potential for a long process with Caltrans to define and construct the elevated HST trackway within the freeway right-of-way. Caltrans has serious concerns about construction within the constrained median.

The Pacheco Pass alternative that serves San Francisco, Oakland, and San Jose without a new bay crossing provides the highest level of connectivity and accessibility to the Bay Area of the Pacheco Pass Alternatives by directly serving the three major Bay Area urban centers, serving both the San Francisco Peninsula and the East Bay, and providing good connectivity to the region's three international airports (SFO, Oakland, and San Jose). However, this alternative has greater environmental impacts and greater costs (\$3.6 billion more in 2006 dollars) than the preferred alternative since it requires over 42 additional miles of HST alignment to be constructed along the East Bay and would have the same logistical constraints as described above for the Oakland and San Jose via the East Bay alternative. In addition, because this alternative would split the frequency of the HST services (express, suburban express, skip-stop, local, and regional) between the San Francisco Peninsula and the East Bay, this resulted in somewhat less ridership and revenue projected for this alternative as compared to the preferred Pacheco Pass alternative (7.8 million passengers a year by 2030 representing 8.4% of the preferred alternative's ridership).

The Pacheco Pass alternative to downtown San Francisco via the San Francisco Peninsula is preferred because it provides HST direct service to downtown San Francisco, SFO, and the San Francisco Peninsula while minimizing potential environmental impacts and logistical constraints by maximizing use of existing rail right-of-way through shared-use with improved Caltrain commuter services. The HST is complementary to Caltrain (which intends to use lightweight electrified trains) and would share tracks with express Caltrain commuter rail services. In addition, this alternative provides direct service to northern California's major hub airport at SFO and major transit, business, and tourism center at downtown San Francisco, and would enable the early implementation of the HST/Caltrain section between San Francisco, San Jose, and Gilroy. This alternative also involves comparatively less interface with UPRR than the most promising Altamont Pass alternatives.

The MTC recommends use of the Pacheco Pass via the San Francisco Peninsula “as the main HSR express line between Northern and Southern California” but their recommendation also includes a new transbay tube to bring direct service to Oakland. MTC recommends that the first step in implementing HST in Northern California and the Bay Area is “investment in the Peninsula trackage with regional and high-speed rail funding can make this corridor high-speed rail ready,” noting that Caltrain intends to use lightweight electrified trains that would be compatible with HST equipment.

## B. ALTAMONT PASS NETWORK ALTERNATIVES EVALUATION

Eleven representative Altamont Pass network alternatives were investigated. These 11 alternatives encompass the range of different ways to combine HST Alignment Alternatives and station location options to implement the HST system via the Altamont Pass. The Altamont Pass network alternatives consist of: 1) HST to San Francisco (via Dumbarton) and San Jose (via I-880); 2) HST to Oakland and San Jose via the East Bay; 3) HST to San Francisco (via Dumbarton) and Oakland and San Jose via the East Bay; 4) HST terminating in San Jose; 5) HST terminating in to San Francisco; 6) HST terminating in Oakland; 7) HST terminating in Union City; 8) HST to San Francisco and San Jose via San Francisco Peninsula (and Dumbarton crossing); 9) San Francisco and San Jose, Oakland—no Bay Crossing; 10) Oakland and San Francisco—via transbay tube; and 11) San Jose, Oakland and San Francisco—via transbay tube. The four Altamont Pass network alternatives that would terminate in Union City or provide direct service to only one of the three major urban centers of the Bay Area (San Francisco, San Jose, and Oakland) do not fully meet the purpose and need for the proposed HST system.

The two Altamont Pass network alternatives that require a new transbay tube would have high potential environmental impacts and considerable construction issues. These alternatives would have over 36 acres of potential direct impacts on the San Francisco Bay. They would have 38.8 ac of potential impacts on waterbodies (lakes + San Francisco Bay) whereas the Oakland and San Jose Termini Altamont Pass network alternative would have only 2.3 ac of potential direct impacts. The cost of the additional 8.8-mile HST segment needed to implement a new transbay tube is estimated at about \$4.6 billion (2006 dollars) —over \$500 million per mile. Moreover, there is only slightly higher ridership and revenue potential (less than 2% higher ridership or 1.0–1.6 million passengers per year by 2030) when comparing the transbay tube alternative via the East Bay versus the related Altamont Pass network alternative that terminates in Oakland. To implement alternatives that included a new transbay tube, coordination would be required with the USACE under Section 10 of the Rivers and Harbors Act, USFWS, and the California Coastal Commission. Crossing the Bay would also be subject to the USACE, CDFG, and BCDC permit process.

The Altamont Pass network alternative that serves San Francisco, Oakland, and San Jose (with a Dumbarton crossing) provides a high level of connectivity and accessibility to the Bay Area by directly serving the three major Bay Area urban centers, serving both the San Francisco Peninsula and the East Bay, and providing good connectivity to the region’s three international airports (SFO, Oakland, and San Jose). However, this alternative has greater environmental impacts, logistical constraints, and costs (\$2.4 billion more in 2006 dollars) than the San Francisco and San Jose Termini Altamont Pass alternative since it requires nearly 38 additional miles of HST alignment to be constructed along the east bay. In addition, because this alternative would further split the frequency of the HST services (express, suburban express, skip-stop, local, and regional) between San Francisco, San Jose, and Oakland (a three way split east of Niles Junction) this resulted in somewhat less ridership and revenue projected for this alternative as compared to the San Francisco and San Jose Termini Altamont Pass network alternative (about 6.8 million passengers a year by 2030 representing 7.7% of the other alternative’s ridership).

The Altamont Pass network alternative that serves San Francisco, Oakland, and San Jose—no Bay Crossing provides a high level of connectivity and accessibility to the Bay Area by directly serving the three major Bay Area urban centers, serving both the San Francisco Peninsula and the East Bay, and

provides good connectivity to the region's three international airports (SFO, Oakland, and San Jose). However, this alternative has greater environmental impacts and greater costs (\$4.5 billion more in 2006 dollars) than the Oakland and San Jose Termini Altamont Pass alternative since it requires over 62 additional miles of HST alignment to be constructed along the San Francisco Peninsula. In addition, this alternative results in non-competitive travel times from San Francisco, SFO, or Palo Alto/Redwood City to the HST stations to the south including Bakersfield, Los Angeles, Anaheim, Riverside, and San Diego. The non-competitive travel times to San Francisco and the San Francisco Peninsula resulted in somewhat less ridership and revenue projected for this alternative as compared to the Oakland and San Jose Termini Altamont Pass network alternative (about 2.8 million passengers a year by 2030 representing over 3.1% of the other alternative's ridership).

There are considerable trade-offs in comparing the three most promising Altamont Pass network alternatives: San Francisco and San Jose Termini; Oakland and San Jose Termini; and San Francisco and San Jose—via San Francisco Peninsula. Of these three Altamont Pass network alternatives, the Oakland and San Jose Altamont Pass network alternative is estimated to have the least potential environmental impacts predominately because the other two alternatives require a Bay crossing at Dumbarton. The Oakland and San Jose Termini network alternative is estimated to have fewer potential impacts on waterbodies (2.3 ac vs. 39.6 ac), wetlands (12.3 ac vs. 44.4-45.9 ac), special status plant species (40 vs. 56), special status wildlife species (44 vs. 50), non-wetland waters (14,032 linear ft. vs. 15,947-16,773 linear ft.), and cultural resources (128 vs. 149-180) than the two network alternatives serving San Francisco and San Jose termini. Constructing a new bridge or tube crossing along the Dumbarton corridor would involve major construction activities in sensitive wetlands, saltwater marshes, and aquatic habitat, requiring special construction methods and mitigations. All the Dumbarton crossing alternatives would result in direct impacts on Don Edwards San Francisco Bay National Wildlife Refuge and would have potential direct impacts on 15 special-status plant and 21 special-status wildlife species. To implement this alternative across the bay, extensive coordination would be required with the USACE under Section 10 of the Rivers and Harbors Act and the California Coastal Commission and the Bay crossing would be subject to the USACE, CDFG, and BCDC permit process. BCDC scoping comments note that bridge alternatives that could have adverse impacts on Bay resources can only be approved by BCDC "if there is not an alternative upland location for the route and if the fill in the minimum necessary to achieve the purposes of the project" (BCDC scoping response, December 15, 2005).

The major issues with the Oakland and San Jose network alternative are the logistical constraints previously described (Section 7.3 A) along the East Bay, and that it does not provide direct HST service to SFO (northern California's major hub airport), the San Francisco Peninsula (Caltrain Corridor), and downtown San Francisco, the major transit, business, and tourism center of the region. Service utilizing the Caltrain corridor better satisfies the purpose and need of the HST and also best supports the Authority's adopted phasing plan. The two Altamont Pass alternatives to San Francisco and San Jose have similar environmental impacts and costs. However, the San Francisco and San Jose Termini network alternative would offer quicker travel times to San Jose than the San Francisco and San Jose—via the San Francisco Peninsula (2 hours 19 minutes vs. 2 hours 37 minutes for SJ-LA; and 49 minutes vs. 1 hour and 3 minutes SJ-Sacramento). The Peninsula route would have slightly higher ridership (2.85 million additional riders).

The Bay Area Regional Rail Plan adopted by MTC favors the San Francisco and San Jose—via the San Francisco Peninsula Altamont Pass alternative because this alternative would utilize the Caltrain alignment between San Francisco and San Jose and would "maximize the partnership opportunities with CHSRA, could be incrementally developed, provides consistency with existing plans and minimizes duplication with committed plans and investments" (MTC, Sept 2007, pg 86). However, the MTC preference for Altamont also includes an ultimate connection to Oakland from San Francisco via a new transbay tube.

### C. PACHECO PASS WITH ALTAMONT PASS (LOCAL SERVICE) NETWORK ALTERNATIVES EVALUATION

Four representative Pacheco Pass with Altamont Pass (local service) network alternatives were investigated. These four alternatives encompass the range of different ways to combine HST Alignment Alternatives and station location options to implement the HST system via the Pacheco Pass while also providing local HST service via the Altamont Pass. The Pacheco with Altamont Pass (local service) network alternatives consist of: 1) HST with San Francisco and San Jose Termini; 2) HST with Oakland and San Jose Termini; 3) HST with San Francisco, San Jose, and Oakland Termini (without Dumbarton Bridge); and 4) HST terminating in San Jose. The Pacheco Pass and Altamont Pass (local service) network alternative that would terminate in San Jose does not serve either San Francisco or Oakland directly and does not fully meet the purpose and need for the proposed HST system.

The network alternative to Oakland and San Jose is estimated to be the least costly of the remaining three network alternatives serving both the Pacheco and Altamont passes (\$2.3 billion in 2006 dollars less than the alternative serving San Francisco and San Jose), would have the least environmental impacts, and would have high ridership potential, but it would not provide direct HST service to downtown San Francisco, SFO, and the San Francisco Peninsula (Caltrain Corridor) between San Francisco and San Jose. The network alternative to San Francisco and San Jose is estimated to have the highest ridership potential (3.27 million passengers a year by 2030 higher than the Oakland and San Jose alternative) but is also estimated to have the highest environmental impacts since it would require a new crossing at Dumbarton. The network alternative to San Francisco, Oakland, and San Jose (without Dumbarton Bridge) would have the highest costs (\$4.4 billion more in 2006 dollars than the Oakland and San Jose alternative), and the least ridership potential (8.34 million passenger a year by 2030 less than the San Francisco and San Jose alternative), but would provide direct HST service to Oakland, San Francisco, and San Jose and the region's three international airports without requiring a new bay crossing.

The Pacheco Pass with Altamont Pass (local service) network alternatives do not compare well against either the Pacheco Pass or Altamont Pass network alternatives in the Draft Program EIR/EIS for HST service to be provided by the Authority. These network alternatives resulted in similar ridership and revenue forecasts (with less revenue than comparable Pacheco Pass network alternatives) while having considerably higher capital costs (\$4.4–6.0 billion more in 2006 dollars for comparable terminus station locations). Although the Pacheco Pass with Altamont Pass (local service) alternatives would increase connectivity and accessibility by potentially providing direct HST service to additional markets, these alternatives would have higher environmental impacts, construction issues, and logistical constraints than Altamont or Pacheco Pass alternatives. The USEPA concluded that the Pacheco Pass with Altamont Pass (local service) network alternatives are not likely to contain the Least Environmentally Damaging Alternative (LEDPA).

### D. COMPARISON OF PACHECO PASS AND ALTAMONT PASS ALTERNATIVES

**Public Input:** There has been and continues to be a wide divergence of opinion for the selection of the alignment between the Bay Area and Central Valley. The public comment the Authority received in 2008 involved many favoring the Pacheco Pass, many favoring the Altamont Pass, and many favoring doing both passes (with the Pacheco serving as the north/south HST connection and Altamont primarily serving interregional commuter service between Sacramento/Northern San Joaquin Valley and the Bay Area). San Francisco, Oakland, and San Jose, the three major urban centers of the Bay Area, all wanted direct HST service. The Central Valley (including Sacramento) and many transportation and environmental organizations strongly preferred the Altamont Pass, whereas much of the Bay Area (MTC, San Francisco, San Jose, San Francisco Peninsula, and Monterey Bay Area) agencies strongly supported the Pacheco Pass. Opposition has been raised to potential impacts for both the Pacheco Pass (impacts on the GEA, Pacheco Pass, Town of Atherton,

Palo Alto, Menlo Park, and Millbrae), and the Altamont Pass (impacts on the San Francisco Bay, Don Edwards San Francisco Bay National Wildlife Refuge, East Bay regional parks, the City of Fremont, City of Livermore, and the City of Pleasanton). In 2010, many cities on the San Francisco Peninsula provide public comment advocating an Altamont Pass alternative, a Pacheco or Altamont alternative stopping in San Jose or Union City, or a Pacheco Pass alternative that would use a non-Caltrain alignment to reach San Francisco from San Jose. A very large number of letters from individuals residing along the Caltrain Corridor and the San Francisco Peninsula expressed great concern over impacts to their communities, with many endorsing no project, a different location, or an underground option. In 2012, the public input focused as much on preferences for “no project” and “no HST” as on specific network alternatives. As in 2010, several Peninsula cities expressed strong opposition to a Pacheco Pass alternative that would use a Caltrain alignment.

**Ridership and Revenue:** The HST ridership and revenue forecasts done by MTC in partnership with Authority concluded that both the Pacheco Pass and Altamont Pass network alternatives have high ridership and revenue potential. Distinct differences were found between the Pacheco Pass and Altamont Pass for certain markets, and the sensitivity tests help in the selection of alignment alternatives and station location options within the corridors studied. Nonetheless, while additional forecasts with different assumptions may result in somewhat different results, the bottom-line conclusion is expected to remain the same: both the Pacheco Pass and Altamont Pass have high ridership potential. This overall conclusion is consistent with the previous ridership analysis done for the Authority's 2000 Business Plan. It is the conclusion of this analysis that both the Pacheco Pass and Altamont Pass alternatives have high ridership potential and that ridership and revenue do not differentiate between these alternatives.

**Capital and Operating Costs:** Capital and operating costs are not substantially different between the Pacheco Pass and Altamont Pass alternatives that meet the purpose and need of the proposed HST system and serve similar termini stations. It is therefore the conclusion of this analysis that capital and operating costs do not differentiate between the Pacheco Pass and Altamont Pass alternatives.

**Travel Times/Travel Conditions:** Either the Pacheco Pass or Altamont Pass would provide quick, competitive travel times between northern and southern California. The Pacheco Pass would provide the quickest travel times between the south Bay and southern California (10 minutes less than the Altamont alternatives serving San Jose via the East Bay [I-880], and 28 minutes less than the Altamont San Francisco and San Jose—via San Francisco Peninsula alternative for express service). The Pacheco Pass enables a potential station in southern Santa Clara County (at Gilroy or Morgan Hill), which provides superior connectivity and accessibility to south Santa Clara County and the three Monterey Bay counties and utilizes the entire Caltrain corridor between San Francisco and Gilroy. San Francisco and San Jose would be served with one HST alignment along the Caltrain corridor providing the most frequent service to these destinations, whereas the most promising Altamont Pass alternatives would require splitting HST services (express, suburban express, skip-stop, local, regional) between two branch lines to serve San Jose and either San Francisco or Oakland. The Altamont Pass would provide considerably quicker travel times between Sacramento/Northern San Joaquin Valley and San Francisco or Oakland than the Pacheco Pass (41 minutes less between San Francisco and Sacramento for express service). The Altamont alternatives using the East Bay to San Jose would have express travel times about 29 minutes less than the Pacheco pass between Sacramento and San Jose, while the Altamont San Francisco and San Jose—via the San Francisco Peninsula alternative would take 15 minutes less than the Pacheco Pass for this market. The Altamont Pass would enable a potential Tri-Valley HST station and a potential Tracy HST station, which provide superior connectivity to the Tri-Valley/Eastern Alameda County, Contra Costa County, and the Tracy area and provide for the opportunity for shared infrastructure with an improved ACE commuter service, although additional infrastructure would be necessary for commuter overlay service with associated impacts. The Altamont Pass would have more potential Central Valley

stations served on the Authority's adopted first phase for construction between the Bay Area and Anaheim (Tracy and Modesto). The travel time for direct service and travel conditions would be significantly different between the Altamont Pass alternative to Oakland and San Jose in comparison to the other two promising Altamont alternatives and the preferred Pacheco Pass alternatives (which directly serve San Francisco and San Jose). The Oakland and San Jose alternative would provide superior travel times, connectivity and accessibility to Oakland, Oakland International Airport, and the East Bay, but would not directly serve downtown San Francisco, SFO, or the San Francisco Peninsula/Caltrain Corridor.

**Constructability Issues and Logistical Constraints:** There are constructability issues and logistical constraints with both the Pacheco and Altamont pass alternatives. However, the construction related issues and logistical constraints associated with the Altamont Pass alternatives are greater than those for the Pacheco Pass. All Altamont Pass alternatives have considerable constructability issues through the right-of-way constrained Tri-Valley area (Livermore and Pleasanton) and tunneling/seismic issues in the Pleasanton Ridge/Niles Canyon area. All Altamont Pass alternatives have tunneling/seismic issues (Calaveras Fault) in the Pleasanton Ridge as well as seismic issues in the East Bay (Hayward Fault). While solutions to these seismic issues have been identified for the separate Altamont Corridor Rail Project, these solutions involve a substantially slower commuter/intercity rail service that does not meet the design requirements for a high-speed train network alternative. For direct service to San Francisco, the most promising Altamont Pass alternatives require a new Bay Crossing at Dumbarton, which must also go through the Don Edwards San Francisco Bay National Wildlife Refuge and the City of Fremont (which opposes construction of the east-west link through Fremont). For the Altamont Pass alternative serving Oakland, the MTC concluded that "development of an East Bay option with direct service to San Jose and Oakland would include significant right-of-way risk gaining an agreement from UPRR to provide access to Oakland." For the Altamont Pass east bay link to San Jose, Caltrans District 4 has commented that use of the I-880 median would result in significant construction stage impacts between Fremont and San Jose. In addition, UPRR's position denying use of its rights-of-way for HST tracks presents a greater implementation challenge for the Altamont Pass network alternatives than for the Pacheco Pass Network Alternative serving San Francisco via San Jose. The Pacheco Pass requires coordination and shared-use on the Caltrain corridor and would have tunneling and environmental issues through the Pacheco Pass, as well as require aerial structures and other design refinements and mitigation measures to minimize or avoid potential impacts on the GEA.

**Phasing Opportunities and Potential Blended System:** The high-speed train project could have effective phased construction for either Pacheco Pass or Altamont Pass network alternatives. The "Bay to Basin" phase discussed in the Revised 2012 Business Plan could be accomplished for a Pacheco Pass alternative to a temporary San Jose terminus or an Altamont Pass alternative to a temporary Union City terminus. It is therefore the conclusion of this analysis that the need to phase construction of the high-speed train system does not differentiate between the Pacheco Pass and Altamont Pass network alternatives. Similarly, based on the very general level of information developed to date on the blended system concept, the blended system would appear to be effective for either Pacheco Pass or Altamont Pass network alternatives that would utilize the Caltrain Corridor in whole or in part.

**Environmental Impacts:** The preferred Pacheco Pass alternative would have greater potential impacts on acres of farmlands than the most promising Altamont Pass alternatives (1,372 ac vs. 758 – 764 ac) and potentially impact more acres of floodplains (521 ac vs. 219-318 ac) and more linear feet of streams (20,276 linear ft vs. 16,824–17,660 linear ft). This alternative would also potentially result in impacts on resources within the generally designated GEA and would have the potential to impact wildlife movement. The preferred Pacheco Pass alternative would have somewhat less potential impacts for noise and vibration and would affect a fewer number of 4(f) and 6(f) resources (16 vs. 20–22) than the most promising Altamont Pass alternatives. The differences in the impacts

on waterbodies, wetlands, nonwetland waters, species, and cultural resources would vary considerably depending upon the Altamont Pass alternative. The two Altamont Pass alternatives providing direct service to San Francisco would include a new Bay crossing at Dumbarton and would cross areas within the Don Edwards San Francisco Bay National Wildlife Refuge (wetlands and sensitive habitat) and therefore would have considerably higher impacts on waters, wetlands, and 4(f) resources than the Pacheco Pass alternative. In comparison to these Altamont Pass alternatives, the Pacheco Pass alternative would have considerably less potential impacts on waterbodies (3.8 ac vs. 39.6 ac), considerably less potential impacts on wetlands (15.6 ac vs. 44.4–45.9 ac), and fewer potential impacts on nonwetland waters (14,395 linear ft. vs. 15,947–16,773 linear ft), while having relatively similar potential impacts on the number of special status plant species (58 vs. 56), special status wildlife species (53 vs. 49-50), and cultural resources (168 vs. 149-180). In comparing the Altamont Pass alternative to Oakland and San Jose along the east bay, the Pacheco Pass alternative to San Francisco and San Jose would have slightly more potential impacts on waterbodies (3.8 ac vs. 2.3 ac), wetlands (15.6 ac vs. 12.3 ac), and nonwetland waters (14,395 linear ft vs. 14,032 linear ft), special-status plant species (58 vs. 40), special-status wildlife species (53 vs. 44), and cultural resources (168 vs. 128). The Pacheco Pass Alternative would avoid impacts on the Don Edwards San Francisco Bay National Wildlife Refuge, and it would include mitigation measures to reduce or avoid potential impacts on resources within the GEA and in particular along existing Henry Miller Road (see Section 3.15.5). The program-level analysis of impacts to 4(f)/6(f) resources generally supports the selection of the preferred Pacheco Pass (San Francisco and San Jose Termini) network alternative, although all network alternatives have potential to impact 4(f)/6(f) resources.

#### **6.3.4 MTC's "Regional Rail Plan for the San Francisco Bay Area"**

The MTC, BART, Caltrain, and the Authority, along with a coalition of rail passenger and freight operators, prepared a comprehensive "Regional Rail Plan for the San Francisco Bay Area" (Plan) adopted by MTC in September 2007. The Plan establishes a long-range vision to create a Bay Area rail network that addresses the anticipated growth in transportation demand and meets that demand. This Plan examines ways to incorporate expanded passenger train services into existing rail systems, improve connections to other trains and transit, expand the regional rapid transit network, increase rail capacity, coordinate rail investment around transit-friendly communities and businesses, and identify functional and institutional consolidation opportunities. The plan also includes an analysis of potential high-speed rail routes between the Bay Area and the Central Valley. The Plan is separate from the Authority's 2008 Final Program EIR/EIS but is accounted for in Section 3.17, "Cumulative Impacts," of the 2008 Final Program EIR/EIS. The Plan, which was issued and approved during the Draft Program EIR/EIS comment period, provides useful additional information for consideration as part of the Authority's decision-making process.

As the HST system involves major infrastructure investment, the Plan identifies and evaluates options for providing overlay services (use of the HST infrastructure for regional rail service with additional investments in facilities and compatible rolling stock). Overlay services are considered for each HST Network Alternative. Regional overlay operations on HST lines could provide service to additional local stations along the HST lines. Such local stops typically would be developed as four-track sections with a pair of outside platforms for regional trains and two express tracks (no platforms) in the center. The extent of the four-track sections would depend on the prevailing speed of the line for statewide service as well as the spacing and location of the local stops. The regional overlay services would be operated with compatible equipment, but the average speeds would be lower and the overall travel times would be greater than the HST because of the additional stops. Additional investment would be necessary to provide the infrastructure for such regional overlay services.

The Plan concludes that the Bay Area needs a Regional Rail Network. "As the BART system becomes more of a high-frequency, close stop urban subway system, it needs to be complemented with a larger regional express network serving longer-distance trips" and "High-Speed Rail complements and supports development of regional rail—a statewide high-speed train network would enable the operation of fast,

frequent regional services along the high-speed lines and should provide additional and accelerated funding where high-speed and regional lines are present in the same corridor" (MTC, 2007 *Regional Rail Plan*, pg ES-3).

The Plan concludes that "an Altamont alignment would have higher regional ridership (between points located from Merced and north) of 20-million trips in Year 2030 vs. about 16-million trips for a Pacheco alignment—by contrast, a Pacheco alignment would have higher ridership between Northern California and Southern California (between points located from Fresno and south) of 40-million trips in Year 2030 vs. about 34-million trips for an Altamont alignment." In addition, "if either Altamont or Pacheco were selected as the sole option, 4-track sections would be needed at regional stations as well as approaching and departing regional stops. These four-track sections would be required along the Altamont route between Fremont and Tracy and along the Pacheco route between San Jose and Gilroy. By contrast, with an Altamont + Pacheco option, two-track sections would suffice from San Jose to Gilroy and from Fremont to Tracy; additionally, a lower-cost bridge connection at the Dumbarton crossing could be developed thereby reducing the cost of a combination alternative by as much as \$1 billion compared to simply building both of the alignments separately" (MTC, 2007, *Regional Rail Plan*, pg ES-17). The Plan also concludes that, "Regardless of which Altamont or Pacheco options would be developed, an initial phase of investment in the Peninsula alignment between San Jose and San Francisco would help make Caltrain, with an express/limited stop ridership potential of 6.3 million riders per year in 2030 'high speed rail ready'" (MTC 2007, *Regional Rail Plan*, pg. ES-18).

### 6.3.5 Preferred HST Network Alternative

The Authority identifies as the preferred alternative:

#### A. PACHECO PASS TO SAN FRANCISCO (VIA SAN JOSE) FOR THE PROPOSED HST SYSTEM (FIGURE 6-1)

The Pacheco Pass Network Alternative serving San Francisco via San Jose best meets the purpose and need for the proposed HST system. Key reasons include:

##### 1. The Pacheco Pass minimizes impacts on wetlands, waterbodies, and the environment.

The statewide HST system should provide direct service to Northern California's major hub airport at SFO and major transit, business, and tourism center at downtown San Francisco. The Pacheco Pass alternative serving San Francisco and San Jose termini has the least potential environmental impacts overall while providing direct HST service to downtown San Francisco, SFO, and the San Francisco Peninsula (Caltrain Corridor) and minimizes construction issues which can lead to delay and cost escalation.

The Pacheco Pass enables San Francisco, SFO, and the San Francisco Peninsula to be directly served without a crossing of the San Francisco Bay. Altamont Pass alternatives requiring a San Francisco Bay crossing would have the greatest potential impacts on the San Francisco Bay and have high capital costs and constructability issues. The Dumbarton Crossing would also have the greatest potential impacts on wetlands and the Don Edwards San Francisco Bay National Wildlife Refuge. To implement these alternatives, extensive coordination would be required with the USACE under Section 10 of the Rivers and Harbors Act and the California Coastal Commission, and the Bay crossing would be subject to the USACE, CDFG, and BCDC permit process. A number of agencies, organizations, and individuals have raised concerns regarding to the construction of a HST crossing of the San Francisco Bay. These include the MTC, BCDC, USEPA, USFWS, Congress members Zoe Lofgren, Michael Honda, Anna Eshoo, and Tom Lantos, State Senators Elaine Alquist and Abel Maldonado, and Assembly member Jim Beale as well as Santa Clara County, San Mateo County Transit District (SamTrans), San Mateo County Transportation Authority (TA), Peninsula Corridor (Caltrain) Joint Powers Board (JPB), San Francisco Bay Trail Project, San Jose Chamber of Commerce, the City of San Jose, the City of Oakland, and Don Edwards (Member of Congress, 1963–1995).

While a considerable number of comments have raised concerns about potential environmental impacts for Pacheco Pass alternatives (in particular relating to potential impacts on the GEA), HST via the Pacheco Pass is feasible and preferred because it would result overall in fewer impacts when compared to the Altamont Pass alternatives with a Bay crossing. Additionally, the Pacheco Pass alternative would include various measures to avoid, minimize, and/or mitigate environmental impacts to the extent feasible and would offer opportunities for environmental improvements along the HST right-of-way that could be accomplished during project design, construction, and operation, including through use of tunnels and aerial structures where appropriate. This contrasts with the more uncertain regulatory approvals that would be needed for crossings of San Francisco Bay and the Don Edwards San Francisco Bay National Wildlife Refuge. Identification of a preferred alternative in the 2008 Final Program EIR/EIS was required for NEPA compliance. Since the identified preferred alternative would have the least overall environmental impacts, it is also identified as the environmentally superior alternative for CEQA compliance and the environmentally preferable alternative under NEPA.

## **2. The Pacheco Pass best serves the connection between Northern and Southern California.**

### Operational benefits result in potential for greater frequency and capacity:

San Francisco and San Jose would be served with one HST alignment along the Caltrain corridor providing the most frequent service to these destinations, whereas the most promising Altamont Pass alternatives would split HST services (express, suburban express, skip-stop, local, regional) between two branch lines to serve San Jose and either San Francisco or Oakland—reducing the total capacity of the system to these markets. The proposed HST system already has two locations where there are branch splits (north of Fresno—to Sacramento and the Bay Area, and south of Los Angeles Union Station—to Orange County and the Inland Empire). Avoiding additional branch splits in the HST alignment, and avoiding splits along the high-speed trunk of the system connecting the most populated regions of the state, Southern California and San Francisco and San Jose, would benefit train operations and service.

### Provides a superior connection between the South Bay and Southern California:

The Pacheco Pass enables the shortest connection to be constructed between the South Bay and Southern California with the quickest travel times between these markets. A southern Santa Clara County HST station increases connectivity and accessibility for the South Bay and the three county Monterey Bay area.

### Fewer stations between the Major Metropolitan Areas:

The core purpose of the HST system is to serve passenger trips between the major metropolitan areas of California. There is a critical tradeoff between the accessibility of the system to potential passengers that is provided by multiple stations and stops, and the resulting HST travel times. Additional or more closely spaced stations (even with limited service) would lengthen travel times, reduce frequency of service, and the ability to operate both express and local services. The Pacheco Pass has the advantage of fewer stops through the high-speed trunk of the system between San Francisco or San Jose and Southern California, the most populated regions of the state.

Between Merced and Gilroy, the high-speed trains will be maintaining speeds well over 200 mph. The fact that there is no significant population concentrations between Merced and Gilroy along the Pacheco Pass is a positive attribute since there are fewer communities and hence fewer community impacts. Additionally there will be no HST station between Gilroy and Merced. As a result, the Pacheco Pass minimizes the potential for sprawl inducement as compared with the Altamont Pass.

### Minimizes Logistical Constraints:

The Pacheco Pass avoids construction issues and logistical constraints through the Tri-Valley and Alameda County. ~~The Tri-Valley PAC has raised serious concerns with all the Altamont Pass~~





Figure 8.5-1, Bay Area to Central Valley HST Preferred Alternative (May 2008)



- Legend**
- HST Preferred Alignments
  - High Speed Commuter Rail/HST Overlay
  - Stations
  - County Lines
  - Waters
  - Urban Areas
  - Publicly Owned Lands**
  - Federal
  - State
  - Regional
  - Local
  - DFG Wildlife Area/Ecological Reserve

California High-Speed Train Program EIR/EIS



**Figure 6-1**  
**Bay Area to Central Valley HST Preferred Alternative**  
*Bay Area to Central Valley HST Partially Revised Final Program EIR*

~~alternatives regarding land use compatibility and right-of-way constraints and the need for aerial structures through the Tri-Valley. All Altamont Pass alternatives have tunneling/seismic issues (Calaveras Fault) in the Pleasanton Ridge/Niles Canyon area as well as seismic issues in the East Bay (Hayward Fault), and while these issues may be possible to resolve for a slower, improved commuter/intercity service, they are still present for high-speed train alternatives. Both the City of Fremont and the City of Pleasanton are opposed to HST alternatives through these cities because of potential environmental issues, right-of-way constraints, and other logistical issues. In addition, UPRR's position denying use of its rights-of-way for HST tracks presents a greater implementation challenge for the Altamont Pass network alternatives than for the Pacheco Pass Network Alternative serving San Francisco via San Jose. While the preferred Pacheco Pass Network Alternative would also have construction issues and logistical constraints, particularly on the Caltrain Corridor, these issues are comparatively less than through the Tri-Valley and Alameda County because of the existing, publicly owned commuter rail right-of-way.~~

**3. The Pacheco Pass best utilizes an existing, publicly owned rail corridor with potential for track sharing the Caltrain corridor.**

The Pacheco Pass alternative would enable the early, incremental implementation of the entire Caltrain Corridor section of the HST system between San Francisco and San Jose, and south of San Jose to Lick. The HST system is complementary to Caltrain and would utilize the Caltrain right-of-way and share tracks with express Caltrain commuter rail services. Caltrain intends to use lightweight, electrified trains that would be compatible with HST equipment. Because it utilizes the full extent of the Caltrain corridor both north of San Jose as well as south of San Jose to Lick without a new Bay crossing, environmental impacts would be minimized. The Authority's phasing plan identifies the Caltrain Corridor (between San Francisco and San Jose) as allowing the Authority to maximize the use of local and regional funds dedicated to train service improvements, and thereby help reduce the need for state funds.

**4. The Pacheco Pass is still supported by the Bay Area region.**

Many of the Bay Area local and regional governments, transportation agencies, and business organizations strongly support the Pacheco Pass network alternative to San Francisco via San Jose and the Caltrain Corridor. As described above, there has been a change in public input from 2007/2008 through 2010 and in 2012. There is considerable city and community concern for implementation of HST along the San Francisco Peninsula overall. However, there is strong support for the recommended Pacheco Pass alternative from the cities of San Francisco and San Jose, and the Metropolitan Transportation Commission, the regional transportation planning agency for the San Francisco Bay Area. This support is critical towards implementing this major infrastructure project through the heavily urbanized Bay Area linking San Francisco, San Jose and Gilroy.

**5. The Pacheco Pass has the fewest impacts to communities because it makes the best use of available rail and transportation rights of way.**

The Pacheco Pass Network Alternative serving San Francisco via San Jose is least disruptive to communities because it is designed to use existing, publicly owned rail and highway right-of-way as a method of minimizing environmental and community impacts. The publicly owned rail right-of-way between San Francisco and San Jose provides a very unique opportunity to reach both San Francisco and San Francisco International Airport without having to construct an entirely new or largely new rail right-of-way for the HST. The Peninsula Corridor Joint Powers Board remains is a willing partner with the Authority and supports incorporation of HST service along with Caltrain and UPRR freight in this corridor. The presence of the Monterey Highway right-of-way between San Jose and Gilroy also provides a very unique opportunity to minimize impacts to communities because it allows for HST tracks to be built largely within existing publicly owned right-of-way, thereby minimizing the need for acquiring property and constructing an entirely new or largely new rail right-of-way for the HST. The

City of San Jose is a willing partner with the Authority and supports the narrowing of the underutilized Monterey Highway in order to accommodate HST service in this corridor.

### 6.3.6 Preferred HST Alignment Alternatives and Station Location Options for the Preferred Pacheco Pass Network Alternative

#### A. SAN FRANCISCO TO SAN JOSE

##### Preferred Alignment Alternative

##### **Caltrain Corridor (Shared Use)**

##### *Analysis*

The 2008 Final Program EIR, 2010 Revised Final Program EIR, and the current Partially Revised ~~Draft~~ Final Program EIR analyzed one alignment alternative between San Francisco and San Jose along the San Francisco Peninsula that would utilize the Caltrain rail right-of-way and share tracks with express Caltrain commuter rail services. The Caltrain Corridor (Shared Use) is the preferred alignment alternative for direct service to San Francisco and San Francisco International Airport (SFO).

The alignment between San Francisco and San Jose is assumed for Program EIR purposes to have 4 tracks, with the two middle tracks being shared by Caltrain and HST and the outer tracks used by Caltrain. The HST could operate at maximum speeds of 100–125 mph along the Peninsula providing 30-minute express travel times between San Francisco and San Jose. Environmental impacts would be minimized since this alignment utilizes the existing Caltrain right-of-way. This alignment alternative would increase connectivity and accessibility to San Francisco, the Peninsula, and SFO, the hub international airport for northern California. The HST system would provide a safer, more reliable, energy efficient intercity mode along the San Francisco Peninsula while improving the safety, reliability, and performance of the regional commuter service because of the fully grade separated tracks with fencing to prevent intrusion, additional tracks, and a state-of-the-art signaling and communications system. The HST alignment would greatly increase the capacity for intercity and commuter travel and reduce automobile traffic.

Many comments in favor of the proposed HST on the San Francisco Peninsula were received from agencies and the public, including MTC, the City of San Francisco, Caltrain JPB, SamTrans, the Transbay Transit Center JPB, the City of Santa Clara, the County of Santa Clara, the City of Morgan Hill, and the San Francisco Chamber of Commerce. There is also considerable opposition to improvements on the Caltrain corridor raised by some members of the public. The City of Menlo Park supported investigating options to avoid the San Francisco Peninsula area by substituting existing transit systems for the HST, and the Town of Atherton supports options that would avoid HST service through the Town of Atherton as well as investigating trench concepts through the Town of Atherton at the project level. The Cities of Menlo Park and Millbrae have raised concerns regarding potential impacts through their cities. The "Peninsula Cities Consortium" (which includes Palo Alto, Menlo Park, Atherton, Belmont, and Burlingame) was created after the November 2008 election as a result of concerns regarding potential impacts along the Caltrain Corridor including: alignment, environmental consequences, local growth, station planning and land use as well as noise and vibration, biological and cultural resources.

##### Preferred Station Location Options

##### **Downtown San Francisco Terminus: Transbay Transit Center**

##### *Analysis*

The Transbay Transit Center site is the preferred station location option for the San Francisco HST Terminal. The Transbay Transit Center would offer greater connectivity to San Francisco and the Bay Area than the 4<sup>th</sup> and King site (about a mile from the financial district) because of its location in the heart of downtown San Francisco and since it would serve as the regional transit hub for San Francisco. The Transbay Transit Center is located in the financial district where many potential HST passengers could walk to the station. The Transbay Transit Center is also expected to emerge as the

transit hub for all major services to downtown San Francisco, with the advantage of direct connections to BART (1 block from the terminus), Muni, and regional bus transit (SamTrans, AC Transit, and Golden Gate Transit). Moreover, the Transbay Transit Center is compatible with existing and planned development and is the focal point of the Transbay redevelopment plan that includes extensive high-density residential, office, and commercial/retail development. Sensitivity analysis on the Pacheco Pass “Base” forecasts (low-end forecasts) concluded that the Transbay Transit Center would attract about 1 million more annual passengers a year by 2030 than the 4<sup>th</sup> and King station location option.

The capital costs needed for the HST component of the Transbay Transit Center is estimated to be similar to the estimated costs for the 4<sup>th</sup> and King option. The 1.5 mile extension that would be required to get to the Transbay Transit Center station from the 4<sup>th</sup> and King station results in approximately \$400 million in additional costs for the Transbay Transit Center station alternative<sup>1</sup>. Since the rail component would be shared with Caltrain services, the Transbay Joint Powers Authority funding plan assigns only a portion of the rail related Transbay Transit costs to the HST system. The rail facilities planned for the Transbay Transit Center are limited to 6 tracks and 3 platforms; however, Caltrain is planning to continue using the existing 4<sup>th</sup> and King terminal. The Authority’s program-level operational analysis for the 2008 Final Program EIR indicated that to serve all of the HST trains proposed in the Authority’s operational plan, four tracks and two island platforms would have to be dedicated to HST service. Further cooperative operations planning analysis of Transbay terminal rail capacity is needed to determine the most efficient mix and scheduling of both HST and Caltrain commuter services. For any HST services that are determined not to be accommodated at the Transbay Transit Center facility, the Authority would consider terminating trains at other stations.

Public and agency comments have largely favored the Transbay Transit Center site. The City of San Francisco, the Transbay Terminal JPB, San Mateo County Transit District (SamTrans), the Peninsula Corridor (Caltrain) Joint Powers Board (JPB), San Mateo County Transportation Authority (TA), the San Francisco Chamber of Commerce, and AC Transit all submitted comments in favor of the Transbay Terminal site.

#### **San Francisco Airport Connector Station: Millbrae (SFO)**

##### *Analysis*

SFO serves as the “hub” airport for international travel in Northern California and is located about 12 miles south of downtown San Francisco. The conceptual design is to link to SFO at the Millbrae Caltrain/BART station location option which is adjacent to SFO (but not directly at the airport). This multi-modal station would link to the airport by the existing BART connection and could possibly be reached in the future by the airport people mover system. The Millbrae (SFO) HST station supports the objectives of the HST project by providing an interface with the northern California hub airport for national and international flights. The Millbrae (SFO) is the preferred HST airport connector station on the San Francisco peninsula.

#### **Mid-Peninsula Station: Continue to investigate ~~both~~ potential sites and working with local agencies and the Caltrain JPB to determine whether a Mid-Peninsula station site should be recommended.**

##### *Analysis*

The Palo Alto and Redwood City station location options would both be multi-modal stations, with similar costs, construction issues, right-of-way issues, and potential environmental impacts. The Redwood City station would have slightly more riders (0.06 million by 2030), but the Palo Alto station would offer greater connectivity. The City of Palo Alto sent a letter dated November 9, 2010, to the Authority opposing the consideration of a HST station anywhere in Palo Alto. The City of Redwood City and the Redwood City Chamber of Commerce have previously indicated support for the Redwood

---

<sup>1</sup> The cost of the extension is estimated at a program level in 2006 dollars, consistent with cost calculations in the Final Program EIR. The cost is estimated for a two-track tunnel for HST only.

City station location option. ~~As part of future project-level studies~~ the Authority should continue to investigate ~~both~~ potential sites and working with local agencies and the Caltrain JPB to determine whether a Mid-Peninsula station site should be recommended.

## B. SAN JOSE TO CENTRAL VALLEY: PACHECO PASS

### Preferred Alignment Alternative

Pacheco Pass via Henry Miller Road (UPRR Connection). At the project-level, however, the Authority will continue to seek and evaluate alignment alternatives (both to the north and south of Henry Miller Road) utilizing the Pacheco Pass that would minimize or avoid impacts to resources in the GEA. The 2008 Final Program EIR/EIS has no Los Banos Station and the Authority has reiterated and expanded its commitment that there will be no station between Gilroy and Merced.

#### *Analysis*

The Pacheco Pass via Henry Miller (UPRR Connection) alignment alternative would provide slightly higher ridership potential, provide the fastest travel times and the most direct link between the Bay Area and Southern California (3-4 minutes faster), have slightly less capital costs, and would generally parallel Henry Miller Road, an existing roadway corridor through the environmentally sensitive areas in the Central Valley (resulting in fewer potential severance impacts), while having similar potential environmental impacts as the other Pacheco Pass alignment alternatives evaluated.

The GEA North alignment alternative is estimated to have higher potential visual impacts (medium vs. low), severance impacts, and cultural impacts than either Henry Miller alignment alternative. Potential impacts on farmlands, streams, lakes/waterbodies, and 4(f) and 6(f) resources are estimated to be about the same for each alignment alternative. The GEA North alignment alternative is estimated to have higher potential impacts on wetlands (17.96 ac vs. 11.61 ac), but less potential impacts on non-wetland waters (6,771 linear ft vs. 10,588 linear ft.) when compared to the Henry Miller (UPRR Connection) alignment alternative. Both alignment alternatives would have the potential to impact special-status plant and wildlife species. While both alignment alternatives would likely result in impacts on the GEA, the GEA North alignment alternative would have greater impacts on publicly owned lands and be more disruptive to wildlife movement patterns than the Henry Miller Road alignment alternative. The GEA North alignment alternative would be on a new alignment and bisect the GEA and result in a new barrier to wildlife movement. The Henry Miller alignment alternative would be elevated through large portions of the GEA parallel to an existing roadway that, along with a nearby canal, already bisects the GEA and disrupts wildlife movement. The Henry Miller alignment alternative would provide greater opportunities for mitigation and environmental improvements for wildlife.

The Authority has received a considerable amount of input regarding each of the three alignment alternatives investigated for the "San Jose to Central Valley" corridor. Most of these comments are in regard to concerns over potential impacts on the GEA including comments from the Grassland Water District, Grassland Resources Conservation District, Grassland Conservation, Education & Legal Defense Fund, USFWS, CDFG, and Ducks Unlimited.

As noted above, the comments from these agencies and organizations concerned potential impacts on special status species and biological resources including the San Joaquin kit fox, waterfowl, amphibians, and plants; vernal pools; and wetlands that may be affected by the Pacheco Pass via Henry Miller Road (UPRR Connection) either through or near the GEA, in the San Luis National Wildlife Refuge Complex, on state or federal-owned lands, and on other conservation areas, such as private lands subject to conservation easements. The biological analysis for this EIR/EIS was conducted at a program level and identifies the need for field reconnaissance-level surveys to be conducted in the future at the project level. These future surveys will determine specific habitat conditions and impacts along alignment alternatives and surrounding areas and will identify

specifically where impacts on special-status species could occur, leading eventually to focused species surveys. The Pacheco section of the HST system will be further designed at the project-level to avoid or minimize potential impacts. Broad program mitigation measures have been identified and will be further refined at the project level that will mitigate most of the impacts identified by these agencies and organizations. The Authority and FRA will continue coordination with all agencies and organizations involved to identify specific issues and develop solutions that avoid, minimize, and mitigate potential biological impacts.

Concerns have been raised by the Grasslands Water District, the Sierra Club, and others regarding potential impacts on the GEA by a potential HST station to serve Los Banos and/or a maintenance facility in the vicinity Los Banos along the Henry Miller Road alignment alternative. Between Merced and Gilroy, the high-speed trains will be maintaining speeds well over 200 mph. As previously noted, the fact that there is no population between Merced and Gilroy along the Pacheco Pass is a positive attribute for HST operations since there are fewer communities and hence fewer community impacts. The Authority's certified Statewide Program EIR/EIS states, "The Authority has determined that the Pacheco Pass alignment HST station at Los Banos (Western Merced County) should not be pursued in subsequent environmental reviews because of low intercity ridership projections for this site, limited connectivity and accessibility, and potential impacts to water resources and threatened and endangered species. Although the City of Los Banos supports the Pacheco Pass alignment with a potential station at Los Banos, considerable public and agency opposition has been expressed about a potential Los Banos station because of its perceived potential to result in growth related impacts" (Page 6A-9). The 2008 Final Program EIR/EIS has no Los Banos Station, and the Authority has reiterated and expanded its commitment that there will be no station between Gilroy and Merced. In addition, there are no maintenance and storage facilities considered in the Los Banos area (or in the vicinity of the GEA) as part of the 2008 Final Program EIR/EIS, and the Merced (Castle AFB) site has been identified as the preferred location within the study area for a maintenance facility (see Section 7.3.7).

From a biological perspective, the Pacheco Pass via Henry Miller Road (UPRR Connection) is the recommended preferred alignment alternative because the measures that would be necessary to avoid, minimize, and/or mitigate biological impacts could be accomplished during project design, construction, and operation, and this alignment alternative offers greater opportunities for environmental improvement.

#### Preferred Station Location Options

##### **Downtown San Jose Terminus: Diridon Station**

###### *Analysis*

Diridon Station is the preferred HST station location option for downtown San Jose and the Southern Bay Area, serving Caltrain, ACE Commuter Rail, the Capitol Corridor, Amtrak long distance services, VTA buses and light rail, and a possible future link to BART (from Fremont). Diridon Station is a multi-modal hub that maximizes connectivity to downtown San Jose, San Jose International Airport (Diridon Station is just over 3 miles from San Jose International Airport and the City of San Jose expects there will be a direct local rail line connecting these to two major transportation hubs), and the southern Bay Area, and would have high ridership potential. The Authority identifies the Diridon Station as the preferred HST station location option for San Jose and the southern Bay Area. Diridon Station is favored by the City of San Jose and the Valley Transportation Authority (VTA).

##### **Southern Santa Clara County: Gilroy Station (Caltrain)**

###### *Analysis*

Gilroy (Caltrain) Station is the preferred HST station location option to serve Southern Santa Clara County and the Monterey Bay Area. This station location option would provide the highest accessibility and connectivity for these regions and would have the highest ridership potential.

## C. CENTRAL VALLEY

### Preferred Alignment Alternative

UPRR N/S Alignment Alternative. However, at the project-level, the Authority would continue to evaluate the BNSF alignment alternative because of the uncertainty of negotiating with the UPRR for use of some of their right-of-way, and would continue investigation of alignments/linkages to a potential maintenance facility at Castle AFB.

#### *Analysis*

The alignment alternatives considered for the "Central Valley Alignment" generally followed the two existing freight corridors of the UPRR and the BNSF. With that in mind, HST impacts throughout the Central Valley that have already been reduced and avoided could be further avoided and minimized by sharing the existing freight railroad right-of-way. If a decision were made to proceed with the HST system, the Authority would seek agreements with freight operators to utilize portions of the existing rail right-of-way to the greatest feasible extent.

The UPRR alignment alternative would have high potential ridership for both the Pacheco Pass and Altamont Pass corridors and would serve potential downtown station sites at Modesto and Merced. This alignment alternative would provide the highest connectivity and accessibility for this part of the Central Valley and would best meet the Authority's adopted transit-oriented development criteria for station location options by serving the downtowns of these Central Valley cities. However, the UPRR has expressed opposition to the use of its right-of-way.

The UPRR alignment alternative would have somewhat higher potential noise and visual impacts and more potential impacts on cultural resources (67 vs. 17-28) since it goes through more urban areas, but would have somewhat fewer potential impacts on farmlands (535 ac vs. 776-838 ac), lakes/waterbodies (0.0 ac vs. 1.5-1.6 ac), wetlands (3.04 ac vs. 3.11-3.76 ac) and non-wetland waters (7,161 linear ft vs. 9,094–10,528 linear ft), and floodplains (124.4 ac vs. 158.2-191.1 ac) than the BNSF alignment alternatives.

### Preferred Station Location Options

#### **Modesto: Downtown Modesto**

##### *Analysis*

The Downtown Modesto Station is the preferred HST station location option for Modesto since it maximizes connectivity and accessibility to downtown Modesto and would best meet the Authority's adopted transit-oriented development criteria for station location options by serving the downtown of this Central Valley city. This option is expected to have slightly higher ridership potential and is more compatible with surrounding land uses than the Amtrak Briggsmore site with similar costs and environmental impacts. The Downtown Modesto Station is favored by the City of Modesto and the San Joaquin County Council of Governments. The Amtrak Briggsmore site would need to continue to be investigated as a part of future project-level analysis since it would be the station site to serve the Modesto area for the BNSF alignment alternative.

#### **Merced: Downtown Merced**

##### *Analysis*

The Downtown Merced Station is the preferred HST station location option for the Merced area since it maximizes connectivity and accessibility to downtown Merced and would best meet the Authority's adopted transit-oriented development criteria for station location options by serving the downtown of this Central Valley city. This option is expected to have less potential impacts on farmlands (0 ac vs. 12 ac) and is more compatible with surrounding land uses than the Castle AFB site with similar costs, ridership, and environmental impacts. The Castle AFB site would need to continue to be investigated as a part of future project-level analysis since it could be the station site to serve the Merced area for

the BNSF alignment alternative. The Castle AFB is recommended as the preferred site for the maintenance facility within the study region.

#### D. MAINTENANCE FACILITIES

##### Preferred Location within study area

###### **Merced Area (Castle AFB)**

###### *Analysis*

The Program EIR previously identified a preferred maintenance and storage facility location to support the HST fleet in the study region in the Merced area (Castle AFB). For purposes of this Program EIR, two locations were considered for "Fleet Storage/Service and Inspection/Light Maintenance" within the study region: (1) West Oakland; and (2) Merced (near or at Castle AFB). There is strong support in the Merced region (Merced County, U.C. Merced, Congressman Cardoza, Merced County HSR Committee, and the Merced County Association of Realtors) for the maintenance facility. The West Oakland site would not serve the preferred Pacheco Pass alternative but should be considered as a part of future Regional Rail/HST project via the Altamont corridor. Program-level evaluation considered only a site in the Bay Area at West Oakland as representative of system maintenance needs in the Bay Area. Possible Bay Area locations and sites for fleet storage/service and inspection/light maintenance facility along the preferred HST alternative between Gilroy and San Francisco will be considered as part of project-level engineering and environmental review. In conclusion, for purposes of the Program EIR process, the Merced area remains preferred.

Over the past two years, additional study and consideration of the heavy maintenance facility for the high-speed train system has been explored as part of project-level EIR/EIS documents for the Merced to Fresno and Fresno to Bakersfield sections. The Authority released a Request for Expression of Interest in 2009, which resulted in multiple potential sites for a heavy maintenance facility in the Central Valley being evaluated, including sites outside the study area for the Bay Area to Central Valley. Accordingly, while the Merced area is preferred at the program level, a wide range of alternatives is being examined as part of project-level EIR/EIS documents.

#### E. SAN FRANCISCO BAY CROSSINGS

##### Preferred Alignment alternative

###### **No Bay Crossing for the Proposed HST System**

###### *Analysis*

The preferred alternative has no San Francisco Bay crossing. The Trans Bay Crossing between Oakland and San Francisco is estimated to result in potential direct impacts on 20.07–22.1 acres of Bay Waters and indirect impacts on 228–235.5 acres of waterbodies. The cost associated with this approximately 7-mile crossing is estimated at over \$5 billion in 2006 dollars (over \$700 million per mile) with a ridership increase of up to about 2%. To implement this alignment alternative, extensive coordination would be required with the USACE under Section 10 of the Rivers and Harbors Act and the California Coastal Commission and crossing the Bay would be subject to the USACE, CDFG, and BCDC permit process.

The Dumbarton Crossing would result in potential direct impacts on 33.9–55.4 acres of wetlands (predominately through the Don Edwards San Francisco Bay National Wildlife Refuge) and direct impacts of 2,361–3117 linear feet of Bay waters. All of the Dumbarton alignment alternatives are estimated to have high noise impacts where the alignment is predominately on aerial structure through Fremont, and the bridge alignment alternatives (high bridge and low bridge) would have high potential noise and vibration impacts throughout the alignment. The cost associated with this approximately 19–21.7-mile crossing is estimated at \$1.5 billion (low bridge) to over \$3 billion in 2006 dollars (tube). With the low-bridge alternative, HST service would be interrupted by water traffic, adversely impacting the reliability and service quality of the HST system. Constructing a new bridge or tube crossing along the Dumbarton corridor would involve major construction activities in

sensitive wetlands, saltwater marshes, and aquatic habitat, requiring special construction methods and mitigations. All the alignment alternatives would result in direct impacts on Don Edwards San Francisco Bay National Wildlife Refuge and would have potential direct impacts on 15 special-status plant and 21 special-status wildlife species. To implement this alignment alternative across the bay, extensive coordination would be required with the USACE under Section 10 of the Rivers and Harbors Act and the California Coastal Commission and the Bay crossing would be subject to the USACE, CDFG, and BCDC permit process. BCDC scoping comments note that bridge alignment alternatives that could have adverse impacts on Bay resources can only be approved by BCDC "if there is not an alternative upland location for the route and if the fill in the minimum necessary to achieve the purposes of the project" (BCDC scoping response, December 15, 2005). The Authority has received comments signed by 5 members of Congress and 4 members of the California Legislature stating that any alignment alternative requiring construction through the Don Edwards San Francisco Bay National Wildlife Refuge with additional impacts on the San Francisco Bay and Palo Alto shore of the Bay should be rejected. The City of Fremont opposes the Dumbarton Crossing alignment alternatives because of the potential impacts on Fremont neighborhoods.

The MTC supports a new Transbay Tube between San Francisco and Oakland (via the San Francisco Peninsula) and the Town of Atherton supports a new Transbay Tube between Oakland and San Francisco (via the East Bay).

### **6.3.7 Altamont Corridor Rail Project**

The Altamont Pass provides superior travel times between Sacramento/Northern San Joaquin Valley and the Bay Area and is strongly supported by the Central Valley. Many of the comments received in support of the Altamont Pass are related to its great potential for serving long-distance commuters between the Central Valley and the Bay Area. As indicated by the comments received by the Tri-Valley PAC, many of the negative impacts associated with construction of HST through the Tri-Valley might be considerably reduced by the elimination of the additional tracks needed for HST express services.

The Authority is working in partnership with "local and regional agencies and transit providers" to develop a joint-use (Regional Rail and HST) infrastructure project in the Altamont Pass corridor—as advocated in MTC's recently approved "Regional Rail Plan for the San Francisco Bay Area." Regionally provided commuter overlay services would require regional investment for additional infrastructure needs and potentially need operational subsidies. The Authority cannot unilaterally plan for regionally operated commuter services.

"Regional Rail" in the Altamont Pass corridor is being pursued by the partnership as an independent project to satisfy a different purpose and need<sup>2</sup> from the proposed HST system, but that could also accommodate HST service. The Authority is the lead state agency and the FRA is the lead federal agency for the project EIR/EIS process, which was initiated on October 22, 2009. The Authority is working in partnership with other agencies to secure local, state, federal, and private funding to develop this joint-use infrastructure project in the Altamont corridor. This corridor was added as part of the Proposition 1A HST funding package.

The Authority is pursuing potential joint-use Altamont Corridor Regional Rail/HST services and identifying alternatives for further evaluation, including direct service to San Jose or potentially terminating HST service at Livermore (connecting to an extended and enhanced BART system). The Authority's objective is that the infrastructure would be electrified, fully grade-separated, and compatible with and shared by HST services. Providing connectivity and accessibility to Oakland and Oakland International Airport via intermodal connections with BART would be a crucial objective for this project.

---

<sup>2</sup> As defined in CEQA and NEPA implementing regulations, procedures, and guidelines.

At this time, ~~potential, no proposed~~ alignments for study have been identified for the Altamont Corridor Rail Project, ~~with, however, the~~ corridor limits are between Stockton and San Jose, which are the terminal stations for the current ACE service. ~~The potential~~ Specific alignments and station locations will be ~~identified along this corridor and~~ evaluated through the preparation of the project environmental document. The Altamont Corridor Rail Project is intended to include a potential branch east of Tracy to allow operation of trains between the Bay Area and points north including Stockton and Sacramento as well as points south including Modesto and beyond within the Statewide HST System. Project alternatives are intended to provide intermodal connections to the Bay Area Rapid Transit (BART) to serve the Oakland Airport, the cities of Oakland and San Francisco as well as other East Bay and South Bay locations via BART. Intermodal connections to BART would be provided in the Livermore vicinity, should the Dublin/Pleasanton BART line be extended, as well as in the Fremont/Union City vicinity, either meeting the existing Fremont line or the Warm Springs/San Jose extension. The Altamont Corridor Rail Project may also accommodate a future connection to the Dumbarton rail service in the Fremont/Union City vicinity as well as an intermodal connection to the Valley Transportation Authority (VTA) light rail network in Santa Clara County. Additionally, the project will accommodate feeder and connecting bus services providing access to proximate market areas and interfacing with regional bus links where appropriate.

To lay the groundwork for the Altamont Corridor Rail Project, the Authority ~~is working~~ will work with ACE, SJRRC, San Joaquin County Council of Governments, the Tri-Valley Pac, Alameda County, Santa Clara County, and others to get the Altamont Regional Rail/HST project identified in the update to the 2035 Regional Transportation Plan (RTP) and funds programmed in the 2035 RTP and RTIP. Since July 2008, the Authority has been leading the "Altamont Working Group" that includes MTC and agencies and transit providers along the Altamont corridor project study that addresses the Altamont Pass, the East Bay connections, and stations in partnership, and provides the information necessary for the Authority to undertake an environmental study for this project.